D-corp Invest

CODAN

D-CORP INVEST PRESENTS

Codan

Product catalogue

HF radios, system packages and accessories





2026 D-CORP EDITION

2110M and NGT MR systems, with data modems, amplifiers, antennas, power equipment and individual ordering references.

SOURCE EDITION

Codan Military HF Catalogue · September 2007

248 ENTRIES / 13 PRODUCT LINES

BROWSE THE PORTFOLIO

Product lines

Choose a section below. PDF bookmarks and flipbook search find a model or part number.

01 **2110M systems** 003
5 entries · pp. 004-008

02 **NGT MR systems** 009
3 entries · pp. 010-012

03 **Radio options** 013
28 entries · pp. 014-041

04 **Data and software** 042
24 entries · pp. 043-066

05 **High-power equipment** 067
7 entries · pp. 068-074

06 **Interoperability** 075
6 entries · pp. 076-081

07 **Power and charging** 082
25 entries · pp. 083-107

08 **Antennas and tuners** 108
32 entries · pp. 109-140

09 **Radio accessories** 141
6 entries · pp. 142-147

10 **Cables and interfaces** 148
68 entries · pp. 149-216

11 **Mounting and racks** 217
18 entries · pp. 218-235

12 **Protection and earthing** 236
12 entries · pp. 237-248

13 **Documentation** 249
14 entries · pp. 250-263

Specifications and packed weights follow the supplied September 2007 edition. Repeated references have been consolidated.

PRODUCT LINE 01 OF 13

2110M Manpack Systems

Portable, vehicle and base configurations built around the 2110M.



2110M-TCVR-MILG



2110M-TACT-MILG



2110M-VP125-9350M-MILG

SECTION RANGE

5 ENTRIES

PAGES 004-008

2110M-TCVR-MILG	004	2110M-VP125-9350M-MILG	007
2110M-TACT-MILG	005	2110M-BP125-BB-MILG	008
2110M-SQUAD-MILG	006		

2110M SYSTEMS

2110M Transceiver

CODAN ORDERING REFERENCE
2110M-TCVR-MILG

2007 PACKED WEIGHT
8.4 kg

A portable HF transceiver package with a rechargeable NiMH battery, handset and earthing accessories.



2110M manufacturer photograph

KEY DETAILS

FREQUENCY RANGE
1.6-30 MHz

RF OUTPUT
25 W / 5 W PEP

CAPACITY
400 channels / 10 networks

DC SUPPLY
12 V nominal

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
2110M SSB Transceiver Unit (0.5 ppm)	08-06155-006
H-250/U Telephone Handset	78-08000
Earth Wire with Clip	08-06259-001
Counterpoise 4-wire kit	15-00446
Battery Pack 12 V 13Ah NiMH	08-06186-002
Opt Frequency Hopping	15-10542-000
Opt FH FED-STD-1045 ALE/CALM (Frequency Hopping compatible)	15-10543-000
2110M SSB Transceiver Getting Started Guide, includes Reference Manual on CDROM (English)	15-04153-EN

2110M Tactical Configuration

CODAN ORDERING REFERENCE

2110M-TACT-MILG

SOURCE ENTRY

Product entry

A 2110M package for portable operation, with field antennas, GPS enable and an external-frame backpack.



2110M manufacturer photograph

KEY DETAILS

RADIO PLATFORM

2110M

HF RANGE

1.6-30 MHz

RF POWER

25 W / 5 W PEP

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
2110M transceiver unit, 0.5 ppm	08-06155-006
H-250/U Telephone Handset	78-08000
Earth Wire with Clip	08-06259-001
Counterpoise 4-wire kit	15-00446
Battery Pack 12 V 13Ah NiMH	08-06186-002
Opt Frequency Hopping	15-10542-000
Opt FH FED-STD-1045 ALE/CALM (Frequency Hopping compatible)	15-10543-000
2110M SSB Transceiver Getting Started Guide, includes Reference Manual on CDROM (English)	15-04153-EN
Opt GPS Enable	15-10486
Ant, 3 m (10') Collapsible Whip	15-00452
Ant, Long Wire and Adaptor (1.6-30 MHz)	15-00454
External-frame backpack, colour to be specified	15-00216-###

SOURCE CLARIFICATION

The tactical package lists its battery charger separately.

2110M Squad Configuration

CODAN ORDERING REFERENCE

2110M-SQUAD-MILG

SOURCE ENTRY

Product entry

A 2110M field package with the radio, charging equipment, antennas and carrying accessories listed in the source.



2110M manufacturer photograph

KEY DETAILS

RADIO PLATFORM

2110M

HF RANGE

1.6-30 MHz

RF POWER

25 W / 5 W PEP

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
2110M transceiver unit, 0.5 ppm	08-06155-006
H-250/U Telephone Handset	78-08000
Earth Wire with Clip	08-06259-001
Counterpoise 4-wire kit	15-00446
Battery Pack 12 V 13Ah NiMH	08-06186-002
Opt Frequency Hopping	15-10542-000
Opt FH FED-STD-1045 ALE/CALM (Frequency Hopping compatible)	15-10543-000
2110M SSB Transceiver Getting Started Guide, includes Reference Manual on CDROM (English)	15-04153-EN
Opt FH MIL-STD-188-141B ALE Upgrade	15-10544
Opt GPS Enable	15-10486
2110 Battery Charger AC 3 A	15-00580
2110 Battery Charger DC 1 A	15-00574
Cable, charger O/P, 19way	08-06215-001
Ant, 3 m (10') Collapsible Whip	15-00452
Ant, Long Wire and Adaptor (1.6-30 MHz)	15-00454
External-frame backpack, colour to be specified	15-00216-###

2110M SYSTEMS

2110M Vehicle 125 W 9350M Configuration

CODAN ORDERING REFERENCE

2110M-VP125-9350M-MILG

SOURCE ENTRY

Product entry

A vehicle configuration combining the 2110M, a 3160 power amplifier and the 9350M automatic tuning whip system.



2110M / 3160 units shown

KEY DETAILS

RADIO PLATFORM

2110M

HF RANGE

1.6-30 MHz

RF POWER

125 W amplified

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
2110M transceiver unit, 0.5 ppm	08-06155-006
H-250/U Telephone Handset	78-08000
Opt Frequency Hopping	15-10542-000
Opt FH FED-STD-1045 ALE/CALM (Frequency Hopping compatible)	15-10543-000
2110M SSB Transceiver Getting Started Guide, includes Reference Manual on CDROM (English)	15-04153-EN
9350M Automatic Tuning Whip with 6 m Cables	ANT-9350M-6M
3160 125 W Power Amplifier	2110M-3160-P125
External Speaker with 4 m Lead	15-00649
Cradle, 2110M with Interface Adaptor	15-00140-002

2110M SYSTEMS

2110M 125 W Broadband Base Configuration

CODAN ORDERING REFERENCE

2110M-BP125-BB-MILG

SOURCE ENTRY

Product entry

A fixed-station configuration combining the 2110M with a 125 W amplifier, broadband antenna and mains power supply.



2110M / 3160 units shown

KEY DETAILS

RADIO PLATFORM

2110M

HF RANGE

1.6-30 MHz

RF POWER

125 W amplified

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
2110M transceiver unit, 0.5 ppm	**08-06155-006**
H-250/U Telephone Handset	**78-08000**
Opt Frequency Hopping	**15-10542-000**
Opt FH FED-STD-1045 ALE/CALM (Frequency Hopping compatible)	**15-10543-000**
2110M SSB Transceiver Getting Started Guide, includes Reference Manual on CDROM (English)	**15-04153-EN**
3160 125 W Power Amplifier	**2110M-3160-P125**
External Speaker with 4 m Lead	**15-00649**
Cradle, 2110M with Interface Adaptor	**15-00140-002**
Ant, Multi-wire Broadband Dipole (2-30 MHz, 250 W PEP)	**15-00463-001**
Cable, Coaxial Assembly (RG58) Fitted with UHF Type Weatherproof Connectors, 30 m	**08-01503-030**
3020 mains supply, lead variant to be specified	**08-06054-###**

PRODUCT LINE 02 OF 13

NGT MR Radio Systems

Transceiver, vehicle and base packages from the NGT MR range.



NGT-MR-MILG



NGT-MR-MOB-MILG



NGT-MR-BASE-MILG

SECTION RANGE

3 ENTRIES **PAGES 010-012**

NGT-MR-MILG	010
NGT-MR-MOB-MILG	011
NGT-MR-BASE-MILG	012

NGT MR SYSTEMS

NGT MR Transceiver

CODAN ORDERING REFERENCE
NGT-MR-MILG

2007 PACKED WEIGHT
7.67 kg

A 125 W HF transceiver package for voice and supported data, with RF unit, handset and connection accessories.



Source product image

KEY DETAILS

FREQUENCY RANGE
1.6-30 MHz

RF OUTPUT
125 W PEP

CHANNELS / NETWORKS
400 / 10

SUPPLY
12 V DC nominal

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
NGT MR 2012 RF Unit	08-05628-012
NGT MR 2020 Handset	08-05629-012
NGT Handset Cradle Kit	15-00129
External Speaker with 4 m Lead	15-00649
NGT Control Cable, 6 m	08-06022-001
Self Adhesive Rubber Feet	30-11208-000
Encryption Synchronisation Unit (ESU) required for frequency hopping	15-00765
Opt Frequency Hopping	15-10542-000
Opt FH FED-STD-1045 ALE/CALM (Frequency Hopping compatible)	15-10543-000
NGT MR Transceiver Getting Started Guide, includes Reference Manual on CD (English)	15-04151-EN

NGT MR SYSTEMS

NGT MR Mobile Configuration

CODAN ORDERING REFERENCE
NGT-MR-MOB-MILG

2007 PACKED WEIGHT
18.67 kg

An NGT MR vehicle package with automatic tuning antenna and vehicle installation hardware.



Source product image

KEY DETAILS

FREQUENCY RANGE
1.6-30 MHz

RF OUTPUT
125 W PEP

CHANNELS / NETWORKS
400 / 10

SUPPLY
12 V DC nominal

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
NGT MR 2012 RF unit	**08-05628-012**
NGT MR 2020 handset	**08-05629-012**
NGT Handset Cradle Kit	**15-00129**
External Speaker with 4 m Lead	**15-00649**
NGT Control Cable, 6 m	**08-06022-001**
Encryption Synchronisation Unit (ESU) required for frequency hopping	**15-00765**
Opt Frequency Hopping	**15-10542-000**
Opt FH FED-STD-1045 ALE/CALM (Frequency Hopping compatible)	**15-10543-000**
NGT MR Transceiver Getting Started Guide, includes Reference Manual on CD (English)	**15-04151-EN**
9350M Automatic Tuning Whip with 6 m Cables	**ANT-9350M-6M**
Complete Vehicle Installation Hardware Kit	**15-00180**

NGT MR SYSTEMS

NGT MR Base Station Configuration

CODAN ORDERING REFERENCE

NGT-MR-BASE-MILG

2007 PACKED WEIGHT

20.67 kg

An NGT MR base package with a broadband dipole, 3020 mains supply and station accessories.



Source product image

KEY DETAILS

FREQUENCY RANGE
1.6-30 MHz

RF OUTPUT
125 W PEP

CHANNELS / NETWORKS
400 / 10

SUPPLY
12 V DC nominal

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
NGT MR 2012 RF unit	**08-05628-012**
NGT MR 2020 handset	**08-05629-012**
NGT Handset Cradle Kit	**15-00129**
External Speaker with 4 m Lead	**15-00649**
NGT Control Cable, 6 m	**08-06022-001**
Self-adhesive rubber feet	**30-11208-000**
Encryption Synchronisation Unit (ESU) required for frequency hopping	**15-00765**
Opt Frequency Hopping	**15-10542-000**
Opt FH FED-STD-1045 ALE/CALM (Frequency Hopping compatible)	**15-10543-000**
NGT MR Transceiver Getting Started Guide, includes Reference Manual on CD (English)	**15-04151-EN**
Ant, Multi-wire Broadband Dipole (2-30 MHz, 250 W PEP)	**15-00463-001**
Cable, Coaxial Assembly (RG58) Fitted with UHF Type Weatherproof Connectors, 30 m	**08-01503-030**
3020 mains supply, lead variant to be specified	**08-06054-###**
Earth Braid, 1.5 m	**05-06374**

PRODUCT LINE 03 OF 13

Radio Options

Configuration features, filters, voice options and other listed radio upgrades.

CATALOGUE REFERENCE

15-10542-000

Product entry

15-10542-000

CATALOGUE REFERENCE

15-10544

Product entry

15-10544



15-10469-000

SECTION RANGE

28 ENTRIES

PAGES 014-041

15-10518	014	15-10544	017
15-10522	015	15-10542-000	018
15-10543-000	016	15-10486	019

RADIO OPTIONS

Opt Amateur Mode

CODAN ORDERING REFERENCE
15-10518

SOURCE ENTRY
Product entry

Enables transmit capability with free dial frequencies within Amateur frequency bands.

CATALOGUE REFERENCE

15-10518

Product entry

KEY DETAILS

PRODUCT LINE
Radio options

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10522	**015**

RADIO OPTIONS

Opt FCC USA

CODAN ORDERING REFERENCE
15-10522

SOURCE ENTRY
Product entry

A USA configuration option identified as FCC USA in the source.

CATALOGUE REFERENCE

15-10522

Product entry

KEY DETAILS

PRODUCT TYPE
Radio configuration option

SOURCE CLARIFICATION
This description records the September 2007 configuration.

ALSO IN THIS SECTION

15-10518	**014**
15-10543-000	**016**

RADIO OPTIONS

Opt FH FED-STD-1045 ALE/CALM (Frequency Hopping compatible)

CODAN ORDERING REFERENCE
15-10543-000

SOURCE ENTRY
Product entry

Fully compatible with FED-STD-1045 ALE capabilities and enhanced with Codan Automated Link Management (CALM).

CATALOGUE REFERENCE

15-10543-000

Product entry

KEY DETAILS

PRODUCT LINE
Radio options

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10522	015
15-10544	017

RADIO OPTIONS

Opt FH MIL-STD-188-141B ALE Upgrade

CODAN ORDERING REFERENCE
15-10544

SOURCE ENTRY
Product entry

Provides JITC certified MIL-STD-188-141B ALE capabilities, including NET call, ALL call, ANY call, Group Call, Wildcard Call, advanced ALE beacon, in-link AMD messaging and a Last Heard station log.

CATALOGUE REFERENCE

15-10544

Product entry

KEY DETAILS

PRODUCT LINE
Radio options

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10543-000	016
15-10542-000	018

RADIO OPTIONS

Opt Frequency Hopping

CODAN ORDERING REFERENCE
15-10542-000

SOURCE ENTRY
Product entry

Provides additional protection from malicious jamming and signal interception.

CATALOGUE REFERENCE

15-10542-000

Product entry

KEY DETAILS

PRODUCT LINE
Radio options

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10544	**017**
15-10486	**019**

RADIO OPTIONS

Opt GPS Enable

CODAN ORDERING REFERENCE
15-10486

SOURCE ENTRY
Product entry

Enables GPS tracking.

CATALOGUE REFERENCE

15-10486

Product entry

KEY DETAILS

PRODUCT LINE
Radio options

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10542-000	018
15-10481	020

RADIO OPTIONS

Opt TxD, Tx Program Disabled

CODAN ORDERING REFERENCE
15-10481

SOURCE ENTRY
Product entry

An option that disables front-panel programming of new transmit frequencies.

CATALOGUE REFERENCE

15-10481

Product entry

KEY DETAILS

PRODUCT TYPE
Radio configuration option

SOURCE CLARIFICATION
This description records the September 2007 configuration.

ALSO IN THIS SECTION

15-10486	**019**
15-10491	**021**

RADIO OPTIONS

Opt TxP, Tx Program Prohibited

CODAN ORDERING REFERENCE
15-10491

SOURCE ENTRY
Product entry

An option that prohibits front-panel programming of new transmit and receive frequencies.

CATALOGUE REFERENCE

15-10491

Product entry

KEY DETAILS

PRODUCT TYPE
Radio configuration option

SOURCE CLARIFICATION
This description records the September 2007 configuration.

ALSO IN THIS SECTION

15-10481	**020**
15-10529-000	**022**

September 2007 source / PDF pp. 18, 51

SECTION INDEX

RADIO OPTIONS

Opt 2.7 kHz BW Filter (Factory Fit)

CODAN ORDERING REFERENCE
15-10529-000

SOURCE ENTRY
Product entry

A 2.7 kHz wide band filter required for use with Codan MIL-STD type high speed HF data modems.

CATALOGUE REFERENCE

15-10529-000

Product entry

KEY DETAILS

VERSION
Factory fit

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10491	021
15-10536-000	023

RADIO OPTIONS

Opt 3 kHz Filter (Factory Fit)

CODAN ORDERING REFERENCE
15-10536-000

SOURCE ENTRY
Product entry

A 3 kHz wide IF filter may be used with MIL-STD type high speed HF data modems or other wide band applications.

CATALOGUE REFERENCE

15-10536-000

Product entry

KEY DETAILS

VERSION
Factory fit

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10529-000 022

15-10530-000 024

RADIO OPTIONS

Opt 500 Hz Filter (Factory Fit)

CODAN ORDERING REFERENCE
15-10530-000

SOURCE ENTRY
Product entry

A 500 Hz narrow IF filter for best performance with morse (CW) and narrow FSK data modems like Pactor-II.

CATALOGUE REFERENCE

15-10530-000

Product entry

KEY DETAILS

VERSION
Factory fit

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10536-000	023
15-10531-000	025

RADIO OPTIONS

Opt Voice Encryptor (Factory Fit)

CODAN ORDERING REFERENCE

15-10531-000

SOURCE ENTRY

Product entry

Voice Encryptor Module that provides high grade voice security with exceptional recovered audio quality.



Source product image

KEY DETAILS

VERSION

Factory fit

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10530-000	**024**
15-10513-000	**026**

RADIO OPTIONS

Opt 100 W

CODAN ORDERING REFERENCE
15-10513-000

SOURCE ENTRY
Product entry

Reduces transceiver output power to 100 W.

CATALOGUE REFERENCE

15-10513-000

Product entry

KEY DETAILS

POWER AS LISTED
100 W

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10531-000	**025**
15-10469-000	**027**

Opt Fan (Factory Fit)

CODAN ORDERING REFERENCE

15-10469-000

SOURCE ENTRY

Product entry

Fan unit for continuous data transmission for NGT series Transceivers.



Source product image

KEY DETAILS

VERSION

Factory fit

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10513-000	**026**
15-10541-000	**028**

RADIO OPTIONS

Opt High Speed Data (Factory Fit)

CODAN ORDERING REFERENCE
15-10541-000

SOURCE ENTRY
Product entry

Required for use with Codan 3112/3212 High Speed HF Data Modems.

CATALOGUE REFERENCE

15-10541-000

Product entry

KEY DETAILS

VERSION
Factory fit

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10469-000	027
15-10535-000	029

RADIO OPTIONS

Opt 3 kHz Filter (Factory Fit)

CODAN ORDERING REFERENCE
15-10535-000

SOURCE ENTRY
Product entry

A 3 kHz wide IF filter may be used with MIL-STD type high speed HF data modems or other wide band applications.

CATALOGUE REFERENCE

15-10535-000

Product entry

KEY DETAILS

VERSION
Factory fit

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10541-000 028

15-10507-000 030

RADIO OPTIONS

Opt Voice Encryptor (Factory Fit)

CODAN ORDERING REFERENCE

15-10507-000

SOURCE ENTRY

Product entry

High grade Voice Encryptor Module for NGT series Transceivers.



Source product image

KEY DETAILS

VERSION

Factory fit

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-10535-000 029

15-10471 031

RADIO OPTIONS

NGT MR Desk Console (Retro Fit)

CODAN ORDERING REFERENCE
15-10471

2007 PACKED WEIGHT
1.0 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-10471

Appendix reference

KEY DETAILS

VERSION
Retrofit

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-10507-000	030
15-10509	032

RADIO OPTIONS

Opt 2 W, 2-wire (Retro Fit)

CODAN ORDERING REFERENCE
15-10509

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-10509

Appendix reference

KEY DETAILS

VERSION
Retrofit

POWER AS LISTED
2 W

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-10471	031
15-10510-002	033

RADIO OPTIONS

Opt 4 W, 4-wire I/F Master Site

CODAN ORDERING REFERENCE
15-10510-002

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-10510-002

Appendix reference

KEY DETAILS

POWER AS LISTED
4 W

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-10509	032
15-10510	034

RADIO OPTIONS

Opt 4 W, 4-wire I/F Master Site (Retro Fit)

CODAN ORDERING REFERENCE
15-10510

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-10510

Appendix reference

KEY DETAILS

VERSION
Retrofit

POWER AS LISTED
4 W

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-10510-002	033
15-10510-004	035

RADIO OPTIONS

Opt 4 W, 4-wire I/F Slave Rx Site

CODAN ORDERING REFERENCE
15-10510-004

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-10510-004

Appendix reference

KEY DETAILS

POWER AS LISTED
4 W

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-10510	034
15-10510-003	036

RADIO OPTIONS

Opt 4 W, 4-wire I/F Slave Tx Site

CODAN ORDERING REFERENCE
15-10510-003

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-10510-003

Appendix reference

KEY DETAILS

POWER AS LISTED
4 W

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-10510-004	035
15-10469	037

RADIO OPTIONS

Opt Fan (Retro Fit)

CODAN ORDERING REFERENCE
15-10469

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-10469

Appendix reference

KEY DETAILS

VERSION
Retrofit

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-10510-003	036
15-10507	038

RADIO OPTIONS

Opt Voice Encryptor (Retro Fit)

CODAN ORDERING REFERENCE
15-10507

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-10507

Appendix reference

KEY DETAILS

VERSION
Retrofit

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-10469	037
78-18007-004	039

RADIO OPTIONS

Voice Prompt Chinese

CODAN ORDERING REFERENCE
78-18007-004

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

78-18007-004

Appendix reference

KEY DETAILS

PRODUCT LINE
Radio options

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-10507	**038**
78-18007-003	**040**

RADIO OPTIONS

Voice Prompt English

CODAN ORDERING REFERENCE
78-18007-003

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

78-18007-003

Appendix reference

KEY DETAILS

PRODUCT LINE
Radio options

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

78-18007-004	039
78-18007-005	041

RADIO OPTIONS

Voice Prompt Russian

CODAN ORDERING REFERENCE
78-18007-005

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

78-18007-005

Appendix reference

KEY DETAILS

PRODUCT LINE
Radio options

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

78-18007-003	**040**

PRODUCT LINE 04 OF 13

HF Data and Software

3112 modem packages, HF applications, tracking software and associated references.



MODEM-3112-NC



MODEM-3112-NGT-ETH-2M



15-04155-EN

SECTION RANGE

24 ENTRIES **PAGES 043-066**

15-04128-EN	043	MODEM-3112-2110-ETH-10M	046
15-04155-EN	044	08-06786-001	047
MODEM-3112-NC	045	15-00136	048

DATA AND SOFTWARE

System Programmer CD (English)

CODAN ORDERING REFERENCE
15-04128-EN

2007 PACKED WEIGHT
0.25 kg

Programming software to program 2110M Manpack Transceiver.



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04155-EN	**044**

DATA AND SOFTWARE

Codan HF Express and STANAG 5066 Stack - English

CODAN ORDERING REFERENCE
15-04155-EN

2007 PACKED WEIGHT
0.14 kg

Software for messaging and file transfer through a Codan 3112 HF data modem.



Source product image

KEY DETAILS

PACKAGE
HF Express + STANAG 5066

LICENCE IN SOURCE
One computer / single user

HOST OS IN SOURCE
Windows 2000 / XP

MODEM
Codan 3112

FUNCTIONS

Interactive messaging, file transfer and automatic repeat request are described in the source.

SOURCE CLARIFICATION

The operating-system requirements are from the 2007 edition.

ALSO IN THIS SECTION

15-04128-EN 043

MODEM-3112-NC 045

DATA AND SOFTWARE

3112 High Speed HF Data Modem (No Cables)

CODAN ORDERING REFERENCE
MODEM-3112-NC

2007 PACKED WEIGHT
4.39 kg

An HF data modem reference in the Codan 3112 range. The selected ordering code determines the included cables and host interface.



Source product image

KEY DETAILS

DATA RATE IN SOURCE
Up to 9,600 bps uncompressed

CONNECTIONS
Ethernet and serial interfaces

WAVEFORMS
MIL-STD-188-110A/B and STANAG

FAMILY
3112

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3112 High Speed HF Data Modem	08-06270-001
Earth Wire, 0.5 m	08-04515-001
Self Adhesive Rubber Feet (x4)	30-11208-000
3112 HF Data Modem User Guide on CDROM (English)	15-04147-CD

SOURCE CLARIFICATION

The modem page cites filter 15-10514-000. The radio-options section lists 15-10529-000 for the 2.7 kHz filter. Confirm the intended option.

DATA AND SOFTWARE

3112 High Speed HF Data Modem for 2110 with 10 m Ethernet Cable

CODAN ORDERING REFERENCE
MODEM-3112-2110-ETH-10M

2007 PACKED WEIGHT
5.25 kg

An HF data modem reference in the Codan 3112 range. The selected ordering code determines the included cables and host interface.



Source product image

KEY DETAILS

DATA RATE IN SOURCE
Up to 9,600 bps uncompressed

CONNECTIONS
Ethernet and serial interfaces

WAVEFORMS
MIL-STD-188-110A/B and STANAG

FAMILY
3112

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3112 High Speed HF Data Modem (No Cables)	MODEM-3112-NC
Ferrite Bead Clamp	39-79150-080
Cable, Ethernet Crossover CAT-5E, 10 m Red	67-90801
Cable, Ethernet Straight CAT-5E, 10 m Blue	67-90803
2110 Manpack to 3112 Modem Cable, 1 m	08-06786-001
Codan HF Express and STANAG 5066 Stack - English	15-04155-EN

SOURCE CLARIFICATION

The modem page cites filter 15-10514-000. The radio-options section lists 15-10529-000 for the 2.7 kHz filter. Confirm the intended option.

DATA AND SOFTWARE

2110 Manpack to 3112 Modem Cable, 1 m

CODAN ORDERING REFERENCE
08-06786-001

2007 PACKED WEIGHT
0.44 kg

2110 Manpack to 3112 Modem Cable, 1 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
1 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

MODEM-3112-2110-ETH-10M 046	15-00136 048

DATA AND SOFTWARE

RF Unit / Modem Mounting Cradle

CODAN ORDERING REFERENCE
15-00136

2007 PACKED WEIGHT
2.3 kg

RF Unit / Modem Mounting Cradle.



Source product image

KEY DETAILS

PRODUCT LINE
Data and software

SOURCE CLARIFICATION
The source describes this code as a modem vehicle cradle and as an NGT RF unit mounting cradle.

ALSO IN THIS SECTION

08-06786-001 047

MODEM-3112-NGT-ETH-2M 049

DATA AND SOFTWARE

3112 High Speed HF Data Modem for NGT with 2 m Ethernet Cable

CODAN ORDERING REFERENCE
MODEM-3112-NGT-ETH-2M

2007 PACKED WEIGHT
4.74 kg

An HF data modem reference in the Codan 3112 range. The selected ordering code determines the included cables and host interface.



Source product image

KEY DETAILS

DATA RATE IN SOURCE
Up to 9,600 bps uncompressed

CONNECTIONS
Ethernet and serial interfaces

WAVEFORMS
MIL-STD-188-110A/B and STANAG

FAMILY
3112

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3112 High Speed HF Data Modem (No Cables)	MODEM-3112-NC
Ferrite Bead Clamp	39-79150-080
Cable, Ethernet Crossover CAT-5E, 2 m Red	67-90800
Cable, Ethernet Straight CAT-5E, 2 m Blue	67-90802
Cable, NGT to 3112 Modem, 1 m	08-06356-001
Codan HF Express and STANAG 5066 Stack - English	15-04155-EN

SOURCE CLARIFICATION

The modem page cites filter 15-10514-000. The radio-options section lists 15-10529-000 for the 2.7 kHz filter. Confirm the intended option.

DATA AND SOFTWARE

3112 High Speed HF Data Modem for NGT with 10 m Ethernet Cable

CODAN ORDERING REFERENCE
MODEM-3112-NGT-ETH-10M

2007 PACKED WEIGHT
5.58 kg

An HF data modem reference in the Codan 3112 range. The selected ordering code determines the included cables and host interface.



Source product image

KEY DETAILS

DATA RATE IN SOURCE
Up to 9,600 bps uncompressed

CONNECTIONS
Ethernet and serial interfaces

WAVEFORMS
MIL-STD-188-110A/B and STANAG

FAMILY
3112

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3112 High Speed HF Data Modem (No Cables)	MODEM-3112-NC
Ferrite Bead Clamp	39-79150-080
Cable, Ethernet Crossover CAT-5E, 10 m Red	67-90801
Cable, Ethernet Straight CAT-5E, 10 m Blue	67-90803
Cable, NGT to 3112 Modem, 6 m	08-06356-006
Codan HF Express and STANAG 5066 Stack - English	15-04155-EN

SOURCE CLARIFICATION

The modem page cites filter 15-10514-000. The radio-options section lists 15-10529-000 for the 2.7 kHz filter. Confirm the intended option.

DATA AND SOFTWARE

3112 High Speed HF Data Modem for NGT with 2 m Synchronous Cable

CODAN ORDERING REFERENCE
MODEM-3112-NGT-SYNC-DK-2M

2007 PACKED WEIGHT
5.0 kg

An HF data modem reference in the Codan 3112 range. The selected ordering code determines the included cables and host interface.



Source product image

KEY DETAILS

DATA RATE IN SOURCE
Up to 9,600 bps uncompressed

CONNECTIONS
Ethernet and serial interfaces

WAVEFORMS
MIL-STD-188-110A/B and STANAG

FAMILY
3112

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3112 High Speed HF Data Modem (No Cables)	MODEM-3112-NC
Sealevel PCI Synchronous Serial Card	78-16042
Cable, Serial 25-way to 25-way, 2 m	08-06361-002
Cable, 9-way to 9-way Serial Crossover, 2 m	08-06360-002
Cable, NGT to 3112 Modem, 1 m	08-06356-001
Codan HF Express and STANAG 5066 Stack - English	15-04155-EN

SOURCE CLARIFICATION

The modem page cites filter 15-10514-000. The radio-options section lists 15-10529-000 for the 2.7 kHz filter. Confirm the intended option.

DATA AND SOFTWARE

Sealevel PCI Synchronous Serial Card

CODAN ORDERING REFERENCE
78-16042

2007 PACKED WEIGHT
0.39 kg

Sealevel PCI Synchronous Serial Card.



Source product image

KEY DETAILS

PRODUCT LINE
Data and software

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

MODEM-3112-NGT-SYNC-DK-2M 051	15-04130-EN 053

DATA AND SOFTWARE

NGT Telephone Interconnect Management Software (English)

CODAN ORDERING REFERENCE
15-04130-EN

2007 PACKED WEIGHT
0.5 kg

Software for easy configuration and call log management.



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-16042	**052**
78-07004	**054**

DATA AND SOFTWARE

GPS Map Scanning Service

CODAN ORDERING REFERENCE
78-07004

SOURCE ENTRY
Service reference

Map scanning and registration per A4 page, as listed for the InterNav-CHF software.

CATALOGUE REFERENCE

78-07004

Service reference

KEY DETAILS

SERVICE UNIT
Per A4 page

ASSOCIATED SYSTEM
InterNav-CHF

SPECIFICATION

The source requests the geographic areas and map scales.

SOURCE CLARIFICATION

The service reference is reproduced from the September 2007 edition.

ALSO IN THIS SECTION

15-04130-EN 053	08-06130-003 055


DATA AND SOFTWARE

Remote Control and Data Modem High Power Rack Configuration

CODAN ORDERING REFERENCE
08-06130-003

2007 PACKED WEIGHT
90 kg

A pre-assembled 19-inch high-power rack configuration for NGT equipment, with equipment ordered separately.



Source product image

KEY DETAILS

RACK FORMAT
19-inch / 27RU

CASEWORK
Rear door, vented top and side panels

EQUIPMENT MOUNTING
Pre-fitted rails and trays

BASIC CONFIGURATION
Radio, remote-control, data modem, supply and amplifier mounting provision.

ACCESSORIES
Blanking or vent panels and fitting hardware are described in the source.

SOURCE CLARIFICATION
The source excludes the radio, amplifier, supply and 1 m DC extension cable from the rack package.

ALSO IN THIS SECTION

78-07004 054

15-00176 056

DATA AND SOFTWARE

19" Rack-mounting Frame suitable for 3012, 3112 or 3212 HF Data Modems

CODAN ORDERING REFERENCE
15-00176

2007 PACKED WEIGHT
2.39 kg

19" Rack-mounting Frame suitable for 3012, 3112 or 3212 HF Data Modems.



Source product image

KEY DETAILS

PRODUCT LINE
Data and software

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06130-003	**055**
08-06270-001	**057**

DATA AND SOFTWARE

3112 High Speed HF Data Modem

CODAN ORDERING REFERENCE
08-06270-001

2007 PACKED WEIGHT
4.34 kg

An HF data modem reference in the Codan 3112 range. The selected ordering code determines the included cables and host interface.



Corresponding source product family

KEY DETAILS

DATA RATE IN SOURCE
Up to 9,600 bps uncompressed

CONNECTIONS
Ethernet and serial interfaces

WAVEFORMS
MIL-STD-188-110A/B and STANAG

FAMILY
3112

NGT PAIRING

The source specifies the high-speed data and fan options for the NGT MR system.

SOURCE CLARIFICATION

The modem page cites filter 15-10514-000. The radio-options section lists 15-10529-000 for the 2.7 kHz filter. Confirm the intended option.

ALSO IN THIS SECTION

15-00176 056

08-05980-001 058

DATA AND SOFTWARE

UUPlus Email for HF Client Software

CODAN ORDERING REFERENCE
08-05980-001

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-05980-001

Appendix reference

KEY DETAILS

PRODUCT LINE
Data and software

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-06270-001	057
08-05981-001	059

DATA AND SOFTWARE

UUPlus Email for HF Server Software

CODAN ORDERING REFERENCE	2007 PACKED WEIGHT
08-05981-001	**0.5 kg**

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-05981-001

Appendix reference

KEY DETAILS

PRODUCT LINE

Data and software

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05980-001	058
15-00769	060

DATA AND SOFTWARE

HAL FAX

CODAN ORDERING REFERENCE
15-00769

2007 PACKED WEIGHT
4.1 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-00769

Appendix reference

KEY DETAILS

PRODUCT LINE
Data and software

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05981-001	**059**
78-07003-990	**061**

DATA AND SOFTWARE

InterNav-CHF GPS Tracking Software-1 User (Dealer)

CODAN ORDERING REFERENCE
78-07003-990

2007 PACKED WEIGHT
1.0 kg

InterNav-CHF map-based GPS tracking software, supplied in the licence size identified by the ordering code.

CATALOGUE REFERENCE

78-07003-990

Appendix reference

KEY DETAILS

LICENCE
1 user (dealer)

HOST OS IN SOURCE
Windows 2000 / XP

PACKAGE
Software, manual and security dongle

CONNECTION

The interface cable is listed separately in the source.

ALSO IN THIS SECTION

15-00769	060
78-07003-010	062

DATA AND SOFTWARE

InterNav-CHF GPS Tracking Software-10 User

CODAN ORDERING REFERENCE
78-07003-010

2007 PACKED WEIGHT
1.0 kg

InterNav-CHF map-based GPS tracking software, supplied in the licence size identified by the ordering code.

CATALOGUE REFERENCE

78-07003-010

Appendix reference

KEY DETAILS

LICENCE
10 users

HOST OS IN SOURCE
Windows 2000 / XP

PACKAGE
Software, manual and security dongle

CONNECTION

The interface cable is listed separately in the source.

ALSO IN THIS SECTION

78-07003-990	061
78-07003-100	063

DATA AND SOFTWARE

InterNav-CHF GPS Tracking Software-100 User

CODAN ORDERING REFERENCE	2007 PACKED WEIGHT
78-07003-100	**1.0 kg**

InterNav-CHF map-based GPS tracking software, supplied in the licence size identified by the ordering code.

CATALOGUE REFERENCE

78-07003-100

Appendix reference

KEY DETAILS

LICENCE
100 users

HOST OS IN SOURCE
Windows 2000 / XP

PACKAGE
Software, manual and security dongle

CONNECTION

The interface cable is listed separately in the source.

ALSO IN THIS SECTION

78-07003-010	062
78-07003-025	064

DATA AND SOFTWARE

InterNav-CHF GPS Tracking Software-25 User

CODAN ORDERING REFERENCE
78-07003-025

2007 PACKED WEIGHT
1.0 kg

InterNav-CHF map-based GPS tracking software, supplied in the licence size identified by the ordering code.

CATALOGUE REFERENCE

78-07003-025

Appendix reference

KEY DETAILS

LICENCE
25 users

HOST OS IN SOURCE
Windows 2000 / XP

PACKAGE
Software, manual and security dongle

CONNECTION

The interface cable is listed separately in the source.

ALSO IN THIS SECTION

78-07003-100	063
78-07003-050	065

DATA AND SOFTWARE

InterNav-CHF GPS Tracking Software-50 User

CODAN ORDERING REFERENCE
78-07003-050

2007 PACKED WEIGHT
1.0 kg

InterNav-CHF map-based GPS tracking software, supplied in the licence size identified by the ordering code.

CATALOGUE REFERENCE

78-07003-050

Appendix reference

KEY DETAILS

LICENCE
50 users

HOST OS IN SOURCE
Windows 2000 / XP

PACKAGE
Software, manual and security dongle

CONNECTION

The interface cable is listed separately in the source.

ALSO IN THIS SECTION

78-07003-025	064
78-13016	066

DATA AND SOFTWARE

Modem, Leased Line

CODAN ORDERING REFERENCE	2007 PACKED WEIGHT
78-13016	**1.0 kg**

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

78-13016

Appendix reference

KEY DETAILS

PRODUCT LINE

Data and software

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

78-07003-050	**065**

PRODUCT LINE 05 OF 13

High-Power Equipment

125 W, 500 W and 1 kW amplifier packages and their associated units.



2110M-3160-P125



HIGH-PWR-500



HIGH-PWR-1000

SECTION RANGE

7 ENTRIES **PAGES 068-074**

2110M-3160-P125	068	08-05974-001	071
HIGH-PWR-500	069	08-06067-001	072
HIGH-PWR-1000	070	08-05975-001	073

HIGH-POWER EQUIPMENT

3160 125 W Power Amplifier

CODAN ORDERING REFERENCE

2110M-3160-P125

SOURCE ENTRY

Product entry

A 125 W HF amplifier package in the 3160 range, with the components listed for the source configuration.



2110M / 3160 system shown

KEY DETAILS

RF OUTPUT

125 W PEP

AMPLIFIER FAMILY

3160

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3160 125 W Power Amplifier	08-06807-001
3160 Control/Power Cable	08-06808-001
Coaxial BNC-BNC Cable, 2.5 m	08-06809-001
2110M External Amplifier Panel for Cradle	08-06811-001
Earth Wire, 0.5 m	08-04515-001
3160 Installation Kit	15-00146

HIGH-POWER EQUIPMENT

3061 500 W Power Amplifier

CODAN ORDERING REFERENCE
HIGH-PWR-500

2007 PACKED WEIGHT
35.0 kg

A 500 W HF amplifier package in the 3061 range, with the components listed for the source configuration.



Source product image

KEY DETAILS

RF OUTPUT
500 W PEP

AMPLIFIER FAMILY
3061

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3061 500 W Power Amplifier	08-05974-001
3061 500 W Power Supply Unit	08-06067-001
External ALC (Factory Fit)	15-10504-000
Earth Braid, 1.5 m	05-06374
Coaxial Assembly Cable, 2 m	08-01503-002
High Power Amplifier Controller Cable	08-05956-001
High Power Amplifiers 3061/3062 Reference Manual (see page 85, Language Support for translations of this guide)	15-04131-##
Power IEC Cable, 2 m (for cable options, see page 58, 3061 Accessories)	67-9030#

HIGH-POWER EQUIPMENT

3062 1 kW Power Amplifier

CODAN ORDERING REFERENCE
HIGH-PWR-1000

2007 PACKED WEIGHT
47.0 kg

A 1 kW HF amplifier package in the 3062 range, with the components listed for the source configuration.



Source product image

KEY DETAILS

RF OUTPUT
1 kW PEP

AMPLIFIER FAMILY
3062

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3062 1 kW Power Amplifier	08-05975-001
3062 1 kW Power Supply Unit	08-06102-001
Opt External ALC (Retro Fit)	15-10504
Earth Braid, 1.5 m	05-06374
Coaxial Assembly Cable, 2 m	08-01503-002
High Power Amplifier Controller Cable	08-05956-001
High Power Amplifiers 3061/3062 Reference Manual (see page 85, Language Support for translations of this guide)	15-04131-##
Power IEC 320 Cable, 2 m (for cable options, see page 60, 3062 Accessories)	67-9030#

HIGH-POWER EQUIPMENT

3061 500 W Power Amplifier

CODAN ORDERING REFERENCE
08-05974-001

2007 PACKED WEIGHT
20.0 kg

An ordering reference recorded in the source catalogue's shipping appendix.



Corresponding source product family

KEY DETAILS

POWER AS LISTED
500 W

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

HIGH-PWR-1000	070
08-06067-001	072

HIGH-POWER EQUIPMENT

3061 500 W Power Supply Unit

CODAN ORDERING REFERENCE
08-06067-001

2007 PACKED WEIGHT
14.0 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-06067-001

Appendix reference

KEY DETAILS

POWER AS LISTED
500 W

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05974-001	071
08-05975-001	073

HIGH-POWER EQUIPMENT

3062 1 kW Power Amplifier

CODAN ORDERING REFERENCE
08-05975-001

2007 PACKED WEIGHT
27.0 kg

An ordering reference recorded in the source catalogue's shipping appendix.



Corresponding source product family

KEY DETAILS

POWER AS LISTED
1 kW

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-06067-001	**072**
08-06102-001	**074**

HIGH-POWER EQUIPMENT

3062 1 kW Power Supply Unit

CODAN ORDERING REFERENCE
08-06102-001

2007 PACKED WEIGHT
17.0 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-06102-001

Appendix reference

KEY DETAILS

POWER AS LISTED
1 kW

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05975-001	**073**

PRODUCT LINE 06 OF 13

Radio Interoperability

3031 crosspatch and radio/telephone interface equipment.



XPATCH-2110



XPATCH-NGT



08-05354-100

SECTION RANGE

6 ENTRIES **PAGES 076-081**

XPATCH-2110	076	08-06730-002	079
XPATCH-NGT	077	08-06730-001	080
08-05354-100	078	15-00145	081

INTEROPERABILITY

3031 Crosspatch for 2110M

CODAN ORDERING REFERENCE
XPATCH-2110

2007 PACKED WEIGHT
0.84 kg

Codan's leading edge 3031 Crosspatch enables you to carry 'HF on your belt' using a VHF/UHF radio and a Codan NGT Transceiver.



Source product image

KEY DETAILS

PRODUCT LINE
Interoperability

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3031 VHF/UHF to HF Crosspatch for 2110M	08-06730-002
3031 to VHF/UHF Transceiver Generic Cable, 2 m	08-06766-001
Crosspatch 3031 CD Package (English)	15-04148-CD
Crosspatch 3031 Quick Reference Cards, English (x2)	06-02489-EN
Crosspatch 3031 Installation Kit Crosspatch Accessories	15-00145

SOURCE CLARIFICATION

The product page prints XPATCH-2110. The shipping appendix prints XPATCH-2110M for the same crosspatch family.

INTEROPERABILITY

3031 Crosspatch for NGT

CODAN ORDERING REFERENCE

XPATCH-NGT

2007 PACKED WEIGHT

0.84 kg

Codan's leading edge 3031 Crosspatch enables you to carry 'HF on your belt' using a VHF/UHF radio and a Codan NGT Transceiver.



Source product image

KEY DETAILS

PRODUCT LINE

Interoperability

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
3031 VHF/UHF to HF Crosspatch for NGT	**08-06730-001**
3031 to VHF/UHF Transceiver Generic Cable, 2 m	**08-06766-001**
Crosspatch 3031 CD Package (English)	**15-04148-CD**
Crosspatch 3031 Quick Reference Cards, English (x2)	**06-02489-EN**
Crosspatch 3031 Installation Kit Crosspatch Accessories	**15-00145**

INTEROPERABILITY

RTU292 Radio/Telephone Interface Unit

CODAN ORDERING REFERENCE
08-05354-100

2007 PACKED WEIGHT
7.0 kg

Codan's telephone interconnect equipment can link into the telephone system enabling you to make or receive telephone calls on your HF transceiver.



Source product image

KEY DETAILS

PRODUCT LINE
Interoperability

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
Voice Prompt English	78-18007-003
Voice Prompt Chinese	78-18007-004
Voice Prompt Russian	78-18007-005

INTEROPERABILITY

3031 VHF/UHF to HF Crosspatch for 2110

CODAN ORDERING REFERENCE
08-06730-002

2007 PACKED WEIGHT
0.59 kg

An ordering reference recorded in the source catalogue's shipping appendix.



Corresponding source product family

KEY DETAILS

INTERFACE
UHF

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05354-100	078
08-06730-001	080

INTEROPERABILITY

3031 VHF/UHF to HF Crosspatch for NGT

CODAN ORDERING REFERENCE
08-06730-001

2007 PACKED WEIGHT
0.54 kg

An ordering reference recorded in the source catalogue's shipping appendix.



Corresponding source product family

KEY DETAILS

INTERFACE
UHF

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-06730-002	079
15-00145	081

INTEROPERABILITY

Crosspatch 3031 Installation Kit

CODAN ORDERING REFERENCE
15-00145

2007 PACKED WEIGHT
0.12 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-00145

Appendix reference

KEY DETAILS

PRODUCT LINE
Interoperability

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-06730-001	**080**

PRODUCT LINE 07 OF 13

Power and Charging

Mains supplies, solar power equipment, batteries and charging accessories.



08-06054-002



15-00581



08-06186-002

SECTION RANGE

25 ENTRIES **PAGES 083-107**

15-00508	083	08-06054-002	086
08-06054-001	084	08-06054-003	087
08-06054-005	085	08-06054-004	088

POWER AND CHARGING

Voltage Regulator (24 V to 12 V operation 20 A)

CODAN ORDERING REFERENCE
15-00508

2007 PACKED WEIGHT
1.2 kg

Enables the operation of 2110M series Transceivers with the 3160 125 W Power Amplifier in 24/26 V based systems.



Source product image

KEY DETAILS

VOLTAGE AS LISTED
24 V

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06054-001	**084**

September 2007 source / PDF pp. 27, 31, 54, 73, 99

SECTION INDEX

POWER AND CHARGING

3020 Heavy Duty Transceiver Supply with AUS Lead

CODAN ORDERING REFERENCE
08-06054-001

2007 PACKED WEIGHT
3.0 kg

A 3020 heavy-duty mains supply for HF voice or data stations. The ordering suffix selects the mains lead.



Source product image

KEY DETAILS

INPUT
100-240 V AC ±10% · 50/60 Hz

OUTPUT
13.8 V DC nominal

CONTINUOUS OUTPUT
16 A

PEAK OUTPUT
20 A

LEAD VARIANT AUS Lead

ALSO IN THIS SECTION

15-00508 083

08-06054-005 085

POWER AND CHARGING

3020 Heavy Duty Transceiver Supply with EU & UK Leads

CODAN ORDERING REFERENCE
08-06054-005

2007 PACKED WEIGHT
3.0 kg

A 3020 heavy-duty mains supply for HF voice or data stations. The ordering suffix selects the mains lead.



Source product image

KEY DETAILS

INPUT
100-240 V AC ±10% · 50/60 Hz

OUTPUT
13.8 V DC nominal

CONTINUOUS OUTPUT
16 A

PEAK OUTPUT
20 A

LEAD VARIANT EU & UK Leads

ALSO IN THIS SECTION

08-06054-001 084

08-06054-002 086

POWER AND CHARGING

3020 Heavy Duty Transceiver Supply with EU Lead

CODAN ORDERING REFERENCE
08-06054-002

2007 PACKED WEIGHT
3.0 kg

A 3020 heavy-duty mains supply for HF voice or data stations. The ordering suffix selects the mains lead.



Source product image

KEY DETAILS

INPUT
100-240 V AC ±10% · 50/60 Hz

OUTPUT
13.8 V DC nominal

CONTINUOUS OUTPUT
16 A

PEAK OUTPUT
20 A

LEAD VARIANT EU Lead

ALSO IN THIS SECTION

08-06054-005 085

08-06054-003 087

POWER AND CHARGING

3020 Heavy Duty Transceiver Supply with UK Lead

CODAN ORDERING REFERENCE
08-06054-003

2007 PACKED WEIGHT
3.0 kg

A 3020 heavy-duty mains supply for HF voice or data stations. The ordering suffix selects the mains lead.



Source product image

KEY DETAILS

INPUT
100-240 V AC ±10% · 50/60 Hz

OUTPUT
13.8 V DC nominal

CONTINUOUS OUTPUT
16 A

PEAK OUTPUT
20 A

LEAD VARIANT UK Lead

ALSO IN THIS SECTION

08-06054-002 086

08-06054-004 088

POWER AND CHARGING

3020 Heavy Duty Transceiver Supply with US Lead

CODAN ORDERING REFERENCE
08-06054-004

2007 PACKED WEIGHT
3.0 kg

A 3020 heavy-duty mains supply for HF voice or data stations. The ordering suffix selects the mains lead.



Source product image

KEY DETAILS

INPUT
100-240 V AC ±10% · 50/60 Hz

OUTPUT
13.8 V DC nominal

CONTINUOUS OUTPUT
16 A

PEAK OUTPUT
20 A

LEAD VARIANT US Lead

ALSO IN THIS SECTION

08-06054-003 087

15-00576 089

POWER AND CHARGING

Voltage Regulator (24 V to 12 V operation 7 A)

CODAN ORDERING REFERENCE
15-00576

2007 PACKED WEIGHT
0.98 kg

Enables the operation of 2110 series Transceivers in 24/26 V based systems.



Source product image

KEY DETAILS

VOLTAGE AS LISTED
24 V

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06054-004 088

08-06186-002 090

POWER AND CHARGING

Battery Pack 12 V 13Ah NiMH

CODAN ORDERING REFERENCE
08-06186-002

2007 PACKED WEIGHT
3.4 kg

Waterproof 2110M Transceiver battery pack with 12 V, 13Ah rechargeable Nickel Metal Hydride battery and battery management controller.



Source product image

KEY DETAILS

CAPACITY AS LISTED
13Ah

VOLTAGE AS LISTED
12 V

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00576	089
15-00579	091

POWER AND CHARGING

2110 Battery Charger AC 1 A

CODAN ORDERING REFERENCE
15-00579

2007 PACKED WEIGHT
0.7 kg

2110 Battery Charger AC-DC 3121 with choice of AC mains input cable.



Source product image

KEY DETAILS

PRODUCT LINE
Power and charging

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06186-002	090
15-00580	092

POWER AND CHARGING

2110 Battery Charger AC 3 A

CODAN ORDERING REFERENCE
15-00580

2007 PACKED WEIGHT
0.7 kg

Fast battery charger with output cable and choice of AC mains input cable.



Source product image

KEY DETAILS

PRODUCT LINE
Power and charging

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00579	**091**
15-00574	**093**

POWER AND CHARGING

2110 Battery Charger DC 1 A

CODAN ORDERING REFERENCE
15-00574

2007 PACKED WEIGHT
0.7 kg

2110 Battery Charger DC-DC 3122 with DC input cables 08-06216-001 and 08-06217-001.



Source product image

KEY DETAILS

PRODUCT LINE
Power and charging

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00580	**092**
15-00578	**094**

POWER AND CHARGING

2110 Hand-powered Battery Charger

CODAN ORDERING REFERENCE
15-00578

2007 PACKED WEIGHT
5.0 kg

A portable hand-powered battery charger that is compact and lightweight, and encased in a robust and waterproof aluminium housing.



Source product image

KEY DETAILS

COLOUR
red

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00574 093

15-00581 095

POWER AND CHARGING

210M Solar Battery Charger

CODAN ORDERING REFERENCE

15-00581

2007 PACKED WEIGHT

3.0 kg

A portable solar-powered 15 W battery charger that uses solid state, thin film solar technology to meet your mobile power needs.



Source product image

KEY DETAILS

PRODUCT LINE

Power and charging

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00578 094

78-02007 096

POWER AND CHARGING

Battery Charger AC-DC 3121

CODAN ORDERING REFERENCE
78-02007

2007 PACKED WEIGHT
0.5 kg

Low noise 2110 battery charger (90-240 V AC input, 15.5 V @ 1 A output).



Source product image

KEY DETAILS

PRODUCT LINE
Power and charging

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00581 095

78-02012 097

POWER AND CHARGING

Battery Charger AC-DC 3123

CODAN ORDERING REFERENCE
78-02012

2007 PACKED WEIGHT
0.5 kg

Fast 2110 battery pack charger (90-240 V AC input, 15.5 V @ 3 A output) with fixed output cable.



Source product image

KEY DETAILS

PRODUCT LINE
Power and charging

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-02007	**096**
78-02008	**098**

POWER AND CHARGING

Battery Charger DC-DC 3122

CODAN ORDERING REFERENCE
78-02008

2007 PACKED WEIGHT
0.5 kg

Low noise 2110 battery charger (12-60 V DC input, 15.5 V @ 1 A output).



Source product image

KEY DETAILS

PRODUCT LINE
Power and charging

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-02012 097

08-05876-001 099

POWER AND CHARGING

Power Supply Unit, 13.5 V 2.7 A with Lugs

CODAN ORDERING REFERENCE
08-05876-001

2007 PACKED WEIGHT
0.5 kg

Can be used to mains power the telephone interconnect if required.



Source product image

KEY DETAILS

VOLTAGE AS LISTED
13.5 V

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-02008	098
15-00175	100

POWER AND CHARGING

19" Rack-mounting Frame suitable for 3020 Heavy Duty Transceiver Supply

CODAN ORDERING REFERENCE

15-00175

2007 PACKED WEIGHT

2.39 kg

Suitable for mounting a 3020 Heavy Duty Transceiver Supply.



Source product image

KEY DETAILS

PRODUCT LINE

Power and charging

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05876-001 099	**15-00533** 101

POWER AND CHARGING

Solar Power Supply 240 W

CODAN ORDERING REFERENCE
15-00533

2007 PACKED WEIGHT
44.0 kg

Recommended for fax and data (heavy duty).



Source product image

KEY DETAILS

POWER AS LISTED
240 W

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00175	100
15-00531	102

POWER AND CHARGING

Solar Power Supply 40 W

CODAN ORDERING REFERENCE
15-00531

2007 PACKED WEIGHT
9.0 kg

Recommended for voice (light duty).



Source product image

KEY DETAILS

POWER AS LISTED
40 W

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00533	**101**
15-00532	**103**

POWER AND CHARGING

Solar Power Supply 80 W

CODAN ORDERING REFERENCE
15-00532

2007 PACKED WEIGHT
18.0 kg

Recommended for voice (heavy duty).



Source product image

KEY DETAILS

POWER AS LISTED
80 W

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00531	102
65-72003	104

POWER AND CHARGING

Battery, 12 V 100Ah Gelcell

CODAN ORDERING REFERENCE
65-72003

2007 PACKED WEIGHT
39.0 kg

NOTE: This battery can be air freighted without a permit.



Source product image

KEY DETAILS

CAPACITY AS LISTED
100Ah

VOLTAGE AS LISTED
12 V

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00532 103

65-72004 105

POWER AND CHARGING

Battery, 12 V 185Ah Gelcell

CODAN ORDERING REFERENCE
65-72004

2007 PACKED WEIGHT
65.0 kg

NOTE: This battery can be air freighted without a permit.



Source product image

KEY DETAILS

CAPACITY AS LISTED
185Ah

VOLTAGE AS LISTED
12 V

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

65-72003	104
65-72000-012	106

POWER AND CHARGING

Battery, Lead acid 12 V 90Ah (supplied dry charged)

CODAN ORDERING REFERENCE
65-72000-012

2007 PACKED WEIGHT
18.0 kg

NOTE: This battery is classified as dangerous goods and requires a special permit to air freight.



Source product image

KEY DETAILS

CAPACITY AS LISTED
90Ah

VOLTAGE AS LISTED
12 V

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

65-72004	105
78-16019	107

POWER AND CHARGING

Power Supply Unit, 90 to 264 V AC

CODAN ORDERING REFERENCE
78-16019

2007 PACKED WEIGHT
0.2 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

78-16019

Appendix reference

KEY DETAILS

VOLTAGE AS LISTED
264 V

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

65-72000-012	106

PRODUCT LINE 08 OF 13

Antennas and Tuners

Mobile whips, portable wire antennas, fixed-site antennas, tuners and masts.



ANT-9350M-6M



15-00463-001



15-00452

SECTION RANGE

32 ENTRIES **PAGES 109-140**

ANT-9350M-NC	109	78-23025	112
ANT-9350M-6M	110	78-23056	113
78-23007-003	111	15-00323	114

ANTENNAS AND TUNERS

9350M Automatic Tuning Whip (No Cables)

CODAN ORDERING REFERENCE
ANT-9350M-NC

2007 PACKED WEIGHT
8.6 kg

An automatic tuning HF whip antenna package for compatible mobile transceivers.



Source product image

KEY DETAILS

TRANSMIT RANGE
2-30 MHz with specified whip

RECEIVE RANGE
250 kHz-30 MHz

POWER RATING
125 W PEP voice or data

TYPICAL TUNING
About 2 seconds

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
9350M Main Assembly	08-05063-002
9350 Spring	08-05140-001
9350 Fibreglass Whip, 1.6 m	78-23007-003
9350 Tapered Stainless Steel Whip, 1.2 m	78-23025
Automatic Tuning Whip Antenna 9350 Installation Handbook (see page page 85, Language Support for translations of this handbook)	15-04142-##

ANTENNAS AND TUNERS

9350M Automatic Tuning Whip with 6 m Cables

CODAN ORDERING REFERENCE
ANT-9350M-6M

2007 PACKED WEIGHT
9.28 kg

An automatic tuning HF whip antenna package for compatible mobile transceivers.



Source product image

KEY DETAILS

TRANSMIT RANGE
2-30 MHz with specified whip

RECEIVE RANGE
250 kHz-30 MHz

POWER RATING
125 W PEP voice or data

TYPICAL TUNING
About 2 seconds

PACKAGE CONTENTS

ITEM	SOURCE PART NUMBER
9350M Main Assembly	08-05063-002
9350 to NGT Control Cable, 6 m	08-05627-006
Coaxial Assembly Cable RG58, 6 m	08-01503-006
9350 Spring	08-05140-001
9350 Fibreglass Whip, 1.6 m	78-23007-003
9350 Tapered Stainless Steel Whip, 1.2 m	78-23025
Automatic Tuning Whip Antenna 9350 Installation Handbook (see page page 85, Language Support for translations of this handbook)	15-04142-##

ANTENNAS AND TUNERS

9350 Fibreglass Whip, 1.6 m

CODAN ORDERING REFERENCE
78-23007-003

2007 PACKED WEIGHT
0.5 kg

9350 Fibreglass Whip, 1.6 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
1.6 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

ANT-9350M-6M 110	**78-23025** 112

ANTENNAS AND TUNERS

9350 Tapered Stainless Steel Whip, 1.2 m

CODAN ORDERING REFERENCE
78-23025

2007 PACKED WEIGHT
0.2 kg

9350 Tapered Stainless Steel Whip, 1.2 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
1.2 m

COLOUR
red

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-23007-003	111
78-23056	113

ANTENNAS AND TUNERS

9350 Tapered Stainless Steel Whip, 1.65 m

CODAN ORDERING REFERENCE
78-23056

2007 PACKED WEIGHT
0.2 kg

9350 Tapered Stainless Steel Whip, 1.65 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
1.65 m

COLOUR
red

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-23025	112
15-00323	114

ANTENNAS AND TUNERS

NVIS Kit

CODAN ORDERING REFERENCE
15-00323

2007 PACKED WEIGHT
2.0 kg

Suits the 9350 Automatic Tuning Whip Antenna for improved short range (0-500 km) near vertical incidence skywave communications over frequency range 2-12 MHz.



Source product image

KEY DETAILS

PRODUCT LINE
Antennas and tuners

INCLUDED ITEMS
two piece whip antenna, angle adaptor, extension riser, tie down cord kit and fitting instructions in a canvas bag

ALSO IN THIS SECTION

78-23056	113
15-00456	115

ANTENNAS AND TUNERS

Ant, Broadband Dipole (3-30 MHz)

CODAN ORDERING REFERENCE
15-00456

2007 PACKED WEIGHT
3.1 kg

Lightweight Kevlar reinforced Tactical Broadband Dipole Antenna.



Source product image

KEY DETAILS

FREQUENCY RANGE
3-30 MHz

INCLUDED ITEMS

10 m (30') coaxial feeding cable terminated with BNC connectors with protective caps, broadband antenna balun, two lots of termination resistors, throw ropes, counterpoise kits, winding spools, anchor pegs and antenna deployment quick reference card.

ALSO IN THIS SECTION

15-00323 114

15-00458 116

ANTENNAS AND TUNERS

Ant, End-fed Broadband (3-30 MHz)

CODAN ORDERING REFERENCE
15-00458

2007 PACKED WEIGHT
1.6 kg

Lightweight Kevlar reinforced End-fed Broadband Dipole Antenna.



Source product image

KEY DETAILS

FREQUENCY RANGE
3-30 MHz

INCLUDED ITEMS

3 m (10') coaxial feeding cable terminated with BNC connectors with protective caps, broadband antenna balun, throw rope, counterpoise kit, winding spool, anchor peg and antenna deployment quick reference card.

ALSO IN THIS SECTION

15-00456 115

15-00455 117

ANTENNAS AND TUNERS

Ant, Wire Dipole (3-30 MHz)

CODAN ORDERING REFERENCE
15-00455

2007 PACKED WEIGHT
3.2 kg

Lightweight Kevlar reinforced Tactical Dipole Antenna with tactile length markings.



Source product image

KEY DETAILS

FREQUENCY RANGE
3-30 MHz

INCLUDED ITEMS

10 m (30') coaxial feeding cable terminated with BNC connectors with protective caps, dipole antenna balun, throw rope, antenna adaptor, winding spools, anchor peg and antenna deployment quick reference card.

ALSO IN THIS SECTION

15-00458 116

15-00459 118

ANTENNAS AND TUNERS

Ant, 1.5 m (5') Knock Over Whip

CODAN ORDERING REFERENCE
15-00459

2007 PACKED WEIGHT
1.3 kg

Lightweight collapsible 3 section knock over whip antenna with flexible gooseneck.



Source product image

KEY DETAILS

LENGTH / HEIGHT
1.5 m

PRODUCT DESCRIPTION

NOTE: All the antennas listed below are suitable for frequency hopping transceivers.

ALSO IN THIS SECTION

15-00455	117
15-00453	119

ANTENNAS AND TUNERS

Ant, 1.5 m (5') Tape Whip

CODAN ORDERING REFERENCE
15-00453

2007 PACKED WEIGHT
1.3 kg

Foldable tape whip antenna with flexible gooseneck.



Source product image

KEY DETAILS

LENGTH / HEIGHT
1.5 m

PRODUCT DESCRIPTION

NOTE: All the antennas listed below are suitable for frequency hopping transceivers.

ALSO IN THIS SECTION

15-00459	**118**
15-00452	**120**

ANTENNAS AND TUNERS

Ant, 3 m (10') Collapsible Whip

CODAN ORDERING REFERENCE
15-00452

2007 PACKED WEIGHT
1.4 kg

Lightweight collapsible 6 section whip antenna with flexible gooseneck.



Source product image

KEY DETAILS

LENGTH / HEIGHT
3 m

PRODUCT DESCRIPTION

NOTE: All the antennas listed below are suitable for frequency hopping transceivers.

ALSO IN THIS SECTION

15-00453	**119**
15-00457	**121**

ANTENNAS AND TUNERS

Ant, Dipole and BB kit (2-30 MHz)

CODAN ORDERING REFERENCE
15-00457

2007 PACKED WEIGHT
3.8 kg

Lightweight Kevlar reinforced Universal HF Dipole and HF Broadband Dipole Antenna kit.



Source product image

KEY DETAILS

FREQUENCY RANGE
2-30 MHz

INCLUDED ITEMS

10 m (30') coaxial feeding cable terminated with BNC connectors with protective caps, broadband antenna balun, dipole antenna balun, two lots of termination resistors, throw ropes, counterpoise kits, winding spools, anchor pegs and antenna deployment quick reference cards.

ALSO IN THIS SECTION

15-00452 120

15-00765 122

ANTENNAS AND TUNERS

GPS Receiver / Antenna

CODAN ORDERING REFERENCE
15-00765

2007 PACKED WEIGHT
0.67 kg

Includes: • Receiver/antenna • Magnetic mounting bracket • NGT transceiver interconnecting cables Features: • Integrated antenna and GPS receiver • Tracking up to 12 satellites



Source product image

KEY DETAILS

PRODUCT LINE
Antennas and tuners

INCLUDED ITEMS

• Receiver/antenna • Magnetic mounting bracket • NGT transceiver interconnecting cables Features: • Integrated antenna and GPS receiver • Tracking up to 12 satellites

SOURCE CLARIFICATION

The accessory page names this code GPS Receiver/Antenna. NGT MR package lists also describe it as an Encryption Synchronisation Unit.

ALSO IN THIS SECTION

15-00457 121

08-05140-001 123

ANTENNAS AND TUNERS

9350 Spring

CODAN ORDERING REFERENCE
08-05140-001

2007 PACKED WEIGHT
1.0 kg

Strain relief for 9350 Fibreglass Whip.



Source product image

KEY DETAILS

PRODUCT LINE
Antennas and tuners

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00765	122
15-00406-001	124

ANTENNAS AND TUNERS

Ant, Base Whip, Ground Mounting (9.5 m/31 ft Unloaded)

CODAN ORDERING REFERENCE
15-00406-001

2007 PACKED WEIGHT
7.0 kg

Comes complete with ground plate base.

CATALOGUE REFERENCE

15-00406-001

Product entry

KEY DETAILS

LENGTH / HEIGHT
9.5 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05140-001	123
15-00406-002	125

ANTENNAS AND TUNERS

Ant, Base Whip, Roof Mounting (9.5 m/31 ft Unloaded)

CODAN ORDERING REFERENCE
15-00406-002

2007 PACKED WEIGHT
7.0 kg

Comes complete with roof plate base.

CATALOGUE REFERENCE

15-00406-002

Product entry

KEY DETAILS

LENGTH / HEIGHT
9.5 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00406-001	124
15-00159	126

ANTENNAS AND TUNERS

Radial Ground Plane for Base Whip Antenna, Roof Installations

CODAN ORDERING REFERENCE
15-00159

2007 PACKED WEIGHT
6.0 kg

Radial Ground Plane for Base Whip Antenna, Roof Installations.

CATALOGUE REFERENCE

15-00159

Product entry

KEY DETAILS

PRODUCT LINE
Antennas and tuners

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00406-002	125
78-01017	127

ANTENNAS AND TUNERS

Ant, Travelling Wave Dipole (2-10 MHz, 1 kW PEP)

CODAN ORDERING REFERENCE
78-01017

2007 PACKED WEIGHT
14.0 kg

Ant, Travelling Wave Dipole (2-10 MHz, 1 kW PEP).



Source product image

KEY DETAILS

FREQUENCY RANGE
2-10 MHz

POWER AS LISTED
1 kW PEP

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00159 126

78-01018 128

ANTENNAS AND TUNERS

Ant, Travelling Wave Dipole (3-15 MHz, 1 kW PEP)

CODAN ORDERING REFERENCE
78-01018

2007 PACKED WEIGHT
14.0 kg

Ant, Travelling Wave Dipole (3-15 MHz, 1 kW PEP).



Source product image

KEY DETAILS

FREQUENCY RANGE
3-15 MHz

POWER AS LISTED
1 kW PEP

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-01017	127
78-01019	129

ANTENNAS AND TUNERS

Ant, Travelling Wave Dipole (5-25 MHz, 1 kW PEP)

CODAN ORDERING REFERENCE
78-01019

2007 PACKED WEIGHT
14.0 kg

Ant, Travelling Wave Dipole (5-25 MHz, 1 kW PEP).



Source product image

KEY DETAILS

FREQUENCY RANGE
5-25 MHz

POWER AS LISTED
1 kW PEP

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-01018	128
78-01022	130


ANTENNAS AND TUNERS

Ant, Delta (3-30 MHz, 100 W avg/200 W PEP)

CODAN ORDERING REFERENCE
78-01022

2007 PACKED WEIGHT
30.0 kg

Includes: Delta Antenna only.



Source antenna drawing

KEY DETAILS

FREQUENCY RANGE
3-30 MHz

POWER AS LISTED
100 W avg

INCLUDED ITEMS Delta Antenna only.

ALSO IN THIS SECTION

78-01019	129
78-01024	131


ANTENNAS AND TUNERS

Ant, Delta (3-30 MHz, 100 W avg/200 W PEP) + Mast

CODAN ORDERING REFERENCE
78-01024

2007 PACKED WEIGHT
222.0 kg

Includes: Delta Antenna, 15 m mast, gibbet and halyard assembly



Source antenna drawing

KEY DETAILS

FREQUENCY RANGE
3-30 MHz

POWER AS LISTED
100 W avg

INCLUDED ITEMS

Delta Antenna, 15 m mast, gibbet and halyard assembly

ALSO IN THIS SECTION

78-01022	130
78-01012	132


ANTENNAS AND TUNERS

Ant, Semi-delta (2-14 MHz, 400 W PEP) with Low Frequency Kit

CODAN ORDERING REFERENCE
78-01012

2007 PACKED WEIGHT
6.0 kg

Includes: pulleys, halyards, basic counterpoise and installation hardware



Source antenna drawing

KEY DETAILS

FREQUENCY RANGE
2-14 MHz

POWER AS LISTED
400 W PEP

INCLUDED ITEMS pulleys, halyards, basic counterpoise and installation hardware

ALSO IN THIS SECTION

78-01024	131
15-00403	133


ANTENNAS AND TUNERS

Ant, Active Tuned Long Wire (2-30 MHz)

CODAN ORDERING REFERENCE
15-00403

2007 PACKED WEIGHT
1.0 kg

This antenna exhibits a good combination of space efficiency and broadband capability.



Source product image

KEY DETAILS

FREQUENCY RANGE
2-30 MHz

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-01012	**132**
15-00463-003	**134**

ANTENNAS AND TUNERS

Ant, Multi-wire Broadband Dipole (2-30 MHz, 1 kW PEP)

CODAN ORDERING REFERENCE
15-00463-003

2007 PACKED WEIGHT
9.0 kg

Ant, Multi-wire Broadband Dipole (2-30 MHz, 1 kW PEP).



Source product image

KEY DETAILS

FREQUENCY RANGE
2-30 MHz

POWER AS LISTED
1 kW PEP

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00403	133
15-00463-001	135

ANTENNAS AND TUNERS

Ant, Multi-wire Broadband Dipole (2-30 MHz, 250 W PEP)

CODAN ORDERING REFERENCE
15-00463-001

2007 PACKED WEIGHT
6.0 kg

Ant, Multi-wire Broadband Dipole (2-30 MHz, 250 W PEP).



Source product image

KEY DETAILS

FREQUENCY RANGE
2-30 MHz

POWER AS LISTED
250 W PEP

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00463-003	134
15-00463-002	136

ANTENNAS AND TUNERS

Ant, Multi-wire Broadband Dipole (2-30 MHz, 500 W PEP)

CODAN ORDERING REFERENCE
15-00463-002

2007 PACKED WEIGHT
8.0 kg

Ant, Multi-wire Broadband Dipole (2-30 MHz, 500 W PEP).



Source product image

KEY DETAILS

FREQUENCY RANGE
2-30 MHz

POWER AS LISTED
500 W PEP

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00463-001	135
08-06739-001	137

ANTENNAS AND TUNERS

Tuner, SG235C 500 W PEP (modified for 300 W Avg)

CODAN ORDERING REFERENCE
08-06739-001

2007 PACKED WEIGHT
3.5 kg

Designed to suit 500 W high power NGT systems.



Source product image

KEY DETAILS

POWER AS LISTED
500 W PEP

INCLUDED ITEMS mounting bracket and installation/operation handbook

ALSO IN THIS SECTION

15-00463-002	136
15-00422-012	138


ANTENNAS AND TUNERS

Mast, Guyed 12 m with Erection Kit

CODAN ORDERING REFERENCE
15-00422-012

2007 PACKED WEIGHT
47.0 kg

Four section 12 m mast.



Source product image

KEY DETAILS

LENGTH / HEIGHT
12 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06739-001	137
15-00422-015	139


ANTENNAS AND TUNERS

Mast, Guyed 15 m with Erection Kit

CODAN ORDERING REFERENCE
15-00422-015

2007 PACKED WEIGHT
51.0 kg

Five section 15 m mast.



Source product image

KEY DETAILS

LENGTH / HEIGHT
15 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00422-012	138
08-05063-002	140

ANTENNAS AND TUNERS

9350M Main Assembly

CODAN ORDERING REFERENCE
08-05063-002

2007 PACKED WEIGHT
7.0 kg

An ordering reference recorded in the source catalogue's shipping appendix.



Corresponding source product family

KEY DETAILS

PRODUCT LINE
Antennas and tuners

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-00422-015	**139**

PRODUCT LINE 09 OF 13

Radio Accessories

Audio, control and other hardware references for the radio systems.



78-08000

CATALOGUE REFERENCE

15-00649

Appendix reference

15-00649

SECTION RANGE

6 ENTRIES **PAGES 142-147**

15-00144	142	15-00602	145
78-08000	143	15-00766	146
15-00180	144	15-00649	147

RADIO ACCESSORIES

External DC Vehicle Kit, 2110M

CODAN ORDERING REFERENCE
15-00144

2007 PACKED WEIGHT
2.1 kg

Complete vehicle installation kit incorporating the external DC backpanel (part number 15-00143).



Source product image

KEY DETAILS

PRODUCT LINE
Radio accessories

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-08000	**143**

RADIO ACCESSORIES

Handset H-250/U

CODAN ORDERING REFERENCE
78-08000

2007 PACKED WEIGHT
0.7 kg

Lightweight military handset with noise cancelling microphone and push-to-talk switch.



Source product image

KEY DETAILS

PRODUCT LINE
Radio accessories

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00144 142

15-00180 144

RADIO ACCESSORIES

Complete Vehicle Installation Hardware Kit

CODAN ORDERING REFERENCE
15-00180

2007 PACKED WEIGHT
2.5 kg

Includes mounting cradle, fuse holder and fuse, earth wire, battery cable, assorted screws and cable ties.



Source product image

KEY DETAILS

PRODUCT LINE
Radio accessories

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-08000	**143**
15-00602	**145**

RADIO ACCESSORIES

Headphones

CODAN ORDERING REFERENCE
15-00602

2007 PACKED WEIGHT
1.0 kg

Headphones suitable for the NGT MR Desk Console.



Source product image

KEY DETAILS

PRODUCT LINE
Radio accessories

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00180 144

15-00766 146

RADIO ACCESSORIES

NGT MR Desk Console

CODAN ORDERING REFERENCE
15-00766

2007 PACKED WEIGHT
1.5 kg

An optional NGT Desk Console for the NGT MR Transceiver, incorporating an in-built speaker, hand PTT switch, goose- neck microphone, in-built headphone output, and a 2 m transceiver interface cable.



Source product image

KEY DETAILS

PRODUCT LINE
Radio accessories

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00602 145

15-00649 147

RADIO ACCESSORIES

External Speaker with 4 m Lead

CODAN ORDERING REFERENCE
15-00649

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-00649

Appendix reference

KEY DETAILS

LENGTH / HEIGHT
4 m

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-00766	**146**

PRODUCT LINE 10 OF 13

Cables and Interfaces

Power, control, data and RF cable references with their source part numbers.



08-03255



08-01503-006



08-06356-001

SECTION RANGE

68 ENTRIES **PAGES 149-216**

08-03255	149	08-06421-001	152
78-01031	150	60-00098-590	153
08-06237-001	151	08-06360-002	154

CABLES AND INTERFACES

Cable, Battery, 6 m

CODAN ORDERING REFERENCE
08-03255

2007 PACKED WEIGHT
0.5 kg

Cable, Battery, 6 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
6 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-01031	**150**

September 2007 source / PDF pp. 20, 27, 53, 95

SECTION INDEX

CABLES AND INTERFACES

Adaptor, USB to DB-9, Serial Port

CODAN ORDERING REFERENCE
78-01031

2007 PACKED WEIGHT
0.5 kg

USB V1.1 compliant and supports Microsoft WindowsTM 2000/XP.



Source product image

KEY DETAILS

INTERFACE
USB

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-03255 149

08-06237-001 151

CABLES AND INTERFACES

Cable, 2110M Prog 19way MIL-D9F

CODAN ORDERING REFERENCE
08-06237-001

2007 PACKED WEIGHT
0.5 kg

RS232 interface cable to control or program the 2110M Transceiver from a PC.



Source product image

KEY DETAILS

INTERFACE
19way

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

78-01031	**150**
08-06421-001	**152**

CABLES AND INTERFACES

Cable, VP-116 Interface

CODAN ORDERING REFERENCE
08-06421-001

SOURCE ENTRY
Product entry

Interface cable connecting the Rockwell Collins VP-116 Voice Privacy Unit to the 2110M Transceiver.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06237-001	151
60-00098-590	153

CABLES AND INTERFACES

Adaptor, 9-pin D Plug to 25-pin D Socket

CODAN ORDERING REFERENCE
60-00098-590

2007 PACKED WEIGHT
0.13 kg

Adaptor, 9-pin D Plug to 25-pin D Socket.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06421-001 152

08-06360-002 154

CABLES AND INTERFACES

Cable, 9-way to 9-way Serial Crossover, 2 m

CODAN ORDERING REFERENCE
08-06360-002

2007 PACKED WEIGHT
0.42 kg

Cable, 9-way to 9-way Serial Crossover, 2 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

60-00098-590	153
08-06360-006	155

CABLES AND INTERFACES

Cable, 9-way to 9-way Serial Crossover, 6 m

CODAN ORDERING REFERENCE
08-06360-006

2007 PACKED WEIGHT
0.55 kg

Cable, 9-way to 9-way Serial Crossover, 6 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
6 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06360-002	154
67-90801	156

CABLES AND INTERFACES

Cable, Ethernet Crossover CAT-5E, 10 m Red

CODAN ORDERING REFERENCE
67-90801

2007 PACKED WEIGHT
0.64 kg

Cable, Ethernet Crossover CAT-5E, 10 m Red.



Source product image

KEY DETAILS

LENGTH / HEIGHT
10 m

CABLE TYPE
CAT-5E

COLOUR
Red

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06360-006 155

67-90800 157

September 2007 source / PDF pp. 25, 61, 102

SECTION INDEX

CABLES AND INTERFACES

Cable, Ethernet Crossover CAT-5E, 2 m Red

CODAN ORDERING REFERENCE
67-90800

2007 PACKED WEIGHT
0.38 kg

Cable, Ethernet Crossover CAT-5E, 2 m Red.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

CABLE TYPE
CAT-5E

COLOUR
Red

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90801	156
67-90803	158

CABLES AND INTERFACES

Cable, Ethernet Straight CAT-5E, 10 m Blue

CODAN ORDERING REFERENCE
67-90803

2007 PACKED WEIGHT
0.64 kg

Cable, Ethernet Straight CAT-5E, 10 m Blue.



Source product image

KEY DETAILS

LENGTH / HEIGHT
10 m

CABLE TYPE
CAT-5E

COLOUR
Blue

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90800	157
67-90802	159

CABLES AND INTERFACES

Cable, Ethernet Straight CAT-5E, 2 m Blue

CODAN ORDERING REFERENCE
67-90802

2007 PACKED WEIGHT
0.38 kg

Cable, Ethernet Straight CAT-5E, 2 m Blue.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

CABLE TYPE
CAT-5E

COLOUR
Blue

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90803	158
39-79150-080	160

CABLES AND INTERFACES

Ferrite Bead Clamp

CODAN ORDERING REFERENCE
39-79150-080

2007 PACKED WEIGHT
0.13 kg

Ferrite Bead Clamp.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90802	**159**
08-06766-001	**161**

CABLES AND INTERFACES

Cable, 3031 to VHF/UHF Transceiver Generic

CODAN ORDERING REFERENCE
08-06766-001

2007 PACKED WEIGHT
0.5 kg

Cable, 3031 to VHF/UHF Transceiver Generic.



Source product image

KEY DETAILS

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

39-79150-080	160
15-00702	162

September 2007 source / PDF pp. 28, 68, 98

SECTION INDEX

Cable Kit for Float Charge

CODAN ORDERING REFERENCE
15-00702

2007 PACKED WEIGHT
2.0 kg

Cable kit for float charging lead-acid storage battery for uninterrupted supply.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06766-001	**161**
67-90305	**163**

CABLES AND INTERFACES

Cable, 3C Blk Mld IEC AUS, 2 m

CODAN ORDERING REFERENCE
67-90305

2007 PACKED WEIGHT
0.5 kg

Cable, 3C Blk Mld IEC AUS, 2 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00702	**162**
67-90308	**164**

CABLES AND INTERFACES

Cable, 3C Blk Mld IEC EU, 2 m

CODAN ORDERING REFERENCE
67-90308

2007 PACKED WEIGHT
0.5 kg

DC-DC Voltage Converter



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90305	**163**
67-90306	**165**

September 2007 source / PDF pp. 30, 65, 73, 102

SECTION INDEX

CABLES AND INTERFACES

Cable, 3C Blk Mld IEC UK, 2 m

CODAN ORDERING REFERENCE
67-90306

2007 PACKED WEIGHT
0.5 kg

Cable, 3C Blk Mld IEC UK, 2 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90308	**164**
67-90307	**166**

Cable, 3C Blk Mld IEC US, 2 m

CODAN ORDERING REFERENCE
67-90307

2007 PACKED WEIGHT
0.5 kg

Cable, 3C Blk Mld IEC US, 2 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90306	**165**
08-06214-001	**167**

CABLES AND INTERFACES

Cable, Charger O/P, 6way

CODAN ORDERING REFERENCE
08-06214-001

2007 PACKED WEIGHT
0.3 kg

Used to charge the battery directly.



Source product image

KEY DETAILS

INTERFACE
6way

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90307	**166**
08-06215-001	**168**

CABLES AND INTERFACES

Cable, charger O/P, 19way

CODAN ORDERING REFERENCE
08-06215-001

2007 PACKED WEIGHT
0.3 kg

Used to charge the 2110M Transceiver via the front panel.



Source product image

KEY DETAILS

INTERFACE
19way

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06214-001	**167**
67-90200	**169**

CABLES AND INTERFACES

Cable, 2C AUS IEC C7 2 m

CODAN ORDERING REFERENCE
67-90200

2007 PACKED WEIGHT
0.5 kg

IEC 2-wire mains cable with AUS plug.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06215-001	**168**
67-90203	**170**

CABLES AND INTERFACES

Cable, 2C EU IEC C7 2 m

CODAN ORDERING REFERENCE
67-90203

2007 PACKED WEIGHT
0.5 kg

IEC 2-wire mains cable with EU plug.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90200	169
67-90201	171

September 2007 source / PDF pp. 36, 101

SECTION INDEX

CABLES AND INTERFACES

Cable, 2C UK IEC C7 2 m

CODAN ORDERING REFERENCE
67-90201

2007 PACKED WEIGHT
0.5 kg

IEC 2-wire mains cable with UK plug.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90203	170
67-90202	172

September 2007 source / PDF pp. 36, 101

SECTION INDEX

CABLES AND INTERFACES

Cable, 2C USA IEC C7 2 m

CODAN ORDERING REFERENCE
67-90202

2007 PACKED WEIGHT
0.5 kg

IEC 2-wire mains cable with USA plug.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90201	**171**
08-06217-001	**173**

September 2007 source / PDF pp. 36, 101

SECTION INDEX

CABLES AND INTERFACES

Cable, DC Charger I/P, Clips Adaptor

CODAN ORDERING REFERENCE
08-06217-001

2007 PACKED WEIGHT
0.4 kg

DC input cable with spring clips to connect DC power source to DC-DC 3122 charger module.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90202	**172**
08-06216-001	**174**

CABLES AND INTERFACES

Cable, DC Charger I/P, Lighter Adaptor

CODAN ORDERING REFERENCE
08-06216-001

2007 PACKED WEIGHT
0.4 kg

DC input cable to connect an in-vehicle lighter socket to DC-DC 3122 charger module.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06217-001	173
08-01503-006	175

CABLES AND INTERFACES

RG58 Coaxial Cable - 6 m

CODAN ORDERING REFERENCE
08-01503-006

2007 PACKED WEIGHT
0.5 kg

Cable, Coaxial Assembly (RG58) Fitted with UHF Type Weatherproof Connectors, 6 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
6 m

CABLE TYPE
RG58

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06216-001 174

15-00454 176

CABLES AND INTERFACES

Ant, Long Wire and Adaptor (1.6-30 MHz)

CODAN ORDERING REFERENCE
15-00454

2007 PACKED WEIGHT
0.8 kg

Lightweight Kevlar reinforced Tactical Long Wire antenna.



Source product image

KEY DETAILS

FREQUENCY RANGE
1.6-30 MHz

INCLUDED ITEMS

throw rope, antenna adaptor, winding spool, anchor peg and antenna deployment quick reference card.

ALSO IN THIS SECTION

08-01503-006 175

08-05123-001 177

CABLES AND INTERFACES

Cable, NSP Interface

CODAN ORDERING REFERENCE
08-05123-001

2007 PACKED WEIGHT
0.5 kg

Interface cable to program NGT series Transceivers from a PC.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00454	**176**
08-06361-002	**178**

CABLES AND INTERFACES

Cable, Serial 25-way to 25-way, 2 m

CODAN ORDERING REFERENCE
08-06361-002

2007 PACKED WEIGHT
0.55 kg

Cable, Serial 25-way to 25-way, 2 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05123-001	177
08-06361-006	179

CABLES AND INTERFACES

Cable, Serial 25-way to 25-way, 6 m

CODAN ORDERING REFERENCE
08-06361-006

2007 PACKED WEIGHT
0.83 kg

Cable, Serial 25-way to 25-way, 6 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
6 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06361-002	178
08-06356-001	180

CABLES AND INTERFACES

Cable, NGT to 3112 Modem, 1 m

CODAN ORDERING REFERENCE
08-06356-001

2007 PACKED WEIGHT
0.42 kg

Cable, NGT to 3112 Modem, 1 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
1 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06361-006	179
08-06356-006	181

CABLES AND INTERFACES

Cable, NGT to 3112 Modem, 6 m

CODAN ORDERING REFERENCE
08-06356-006

2007 PACKED WEIGHT
0.76 kg

Cable, NGT to 3112 Modem, 6 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
6 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06356-001	180
08-05920-001	182

CABLES AND INTERFACES

Cable, DC Extension, 1 m

CODAN ORDERING REFERENCE
08-05920-001

2007 PACKED WEIGHT
0.2 kg

NOTE: Required for the transceiver when it is rack mounted.



Source product image

KEY DETAILS

LENGTH / HEIGHT
1 m

PRODUCT DESCRIPTION

Standard Rack Configurations Standard rack configurations are 27RU free standing 19" rack cabinets. They are supplied preassembled and complete with a range of mounting trays and panels to suit the equipment as indicated. For rack options, see pages 81, Standard Rack Configurations.

ALSO IN THIS SECTION

08-06356-006 181

67-90309 183

September 2007 source / PDF pp. 65, 67, 90, 97

SECTION INDEX

CABLES AND INTERFACES

Cable, 3C Blk Mld IEC 320-UK, 2 m

CODAN ORDERING REFERENCE
67-90309

2007 PACKED WEIGHT
0.5 kg

NOTE: This is the only mains cable available for use with the 3062 1 kW Power Amplifier.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

PRODUCT DESCRIPTION

Standard Rack Configurations Standard rack configurations are 27RU free standing 19" rack cabinets. They are supplied preassembled and complete with a range of mounting trays and panels to suit the equipment as indicated. For rack options, see pages 81, Standard Rack Configurations.

ALSO IN THIS SECTION

08-05920-001	182
08-04146-001	184

CABLES AND INTERFACES

Cable, 6-way Phone

CODAN ORDERING REFERENCE
08-04146-001

2007 PACKED WEIGHT
0.5 kg

Cable, 6-way Phone.



Source product image

KEY DETAILS

INTERFACE
6-way

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

67-90309	**183**
08-05866-001	**185**

CABLES AND INTERFACES

Cable, NGT to RTU292 with Signal Busying

CODAN ORDERING REFERENCE
08-05866-001

2007 PACKED WEIGHT
0.5 kg

Cable, NGT to RTU292 with Signal Busying.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-04146-001	184
08-05244-001	186

CABLES AND INTERFACES

Cable, Power Adaptor -Telephone

CODAN ORDERING REFERENCE
08-05244-001

2007 PACKED WEIGHT
0.5 kg

Cable, Power Adaptor -Telephone.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05866-001	185
08-05086-001	187

CABLES AND INTERFACES

Cable, Data Interface, 2 m

CODAN ORDERING REFERENCE
08-05086-001

2007 PACKED WEIGHT
0.5 kg

Cable, Data Interface, 2 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05244-001	186
08-05399-001	188

CABLES AND INTERFACES

Cable, Battery Paralleling (+ve)

CODAN ORDERING REFERENCE
08-05399-001

2007 PACKED WEIGHT
0.5 kg

Cable, Battery Paralleling (+ve).



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05086-001	187
08-05399-002	189

CABLES AND INTERFACES

Cable, Battery Paralleling (-ve)

CODAN ORDERING REFERENCE
08-05399-002

2007 PACKED WEIGHT
0.5 kg

Cable, Battery Paralleling (-ve).



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05399-001	188
08-05627-030	190

CABLES AND INTERFACES

Cable, 9350M to NGT Control, 30 m

CODAN ORDERING REFERENCE
08-05627-030

2007 PACKED WEIGHT
3.0 kg

Coaxial Assembly Cable RG58 See page 79, Coaxial Cables, for cable lengths.



Source product image

KEY DETAILS

LENGTH / HEIGHT
30 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05399-002	189
08-05627-006	191

CABLES AND INTERFACES

Cable, 9350M to NGT Control, 6 m

CODAN ORDERING REFERENCE
08-05627-006

2007 PACKED WEIGHT
0.5 kg

Cable, 9350M to NGT Control, 6 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
6 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05627-030	190
08-05627-008	192

CABLES AND INTERFACES

Cable, 9350M to NGT Control, 8 m

CODAN ORDERING REFERENCE
08-05627-008

2007 PACKED WEIGHT
0.5 kg

Cable, 9350M to NGT Control, 8 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
8 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05627-006	191
08-06740-030	193

CABLES AND INTERFACES

Cable, SG235C Control, 30 m

CODAN ORDERING REFERENCE
08-06740-030

2007 PACKED WEIGHT
3.0 kg

Cable, Coaxial Assembly Fitted with UHF Type Weatherproof Connectors



Source product image

KEY DETAILS

LENGTH / HEIGHT
30 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05627-008 192

08-04835-013 194

CABLES AND INTERFACES

Tuner, 9103 Automatic Antenna with 10 m Cables

CODAN ORDERING REFERENCE
08-04835-013

2007 PACKED WEIGHT
4.0 kg

Designed to suit NGT series Transceivers.



Source product image

KEY DETAILS

LENGTH / HEIGHT
10 m

INCLUDED ITEMS

mounting bracket, control cable (10 m) to suit NGT Transceiver, coaxial cable (10 m) and installation/operation handbook

ALSO IN THIS SECTION

08-06740-030	193
08-04835-015	195

CABLES AND INTERFACES

Tuner, 9103 Automatic Antenna with 30 m Cables

CODAN ORDERING REFERENCE
08-04835-015

2007 PACKED WEIGHT
4.0 kg

Designed to suit NGT series Transceivers.

CATALOGUE REFERENCE

08-04835-015

Product entry

KEY DETAILS

LENGTH / HEIGHT
30 m

INCLUDED ITEMS

mounting bracket, control cable (30 m) to suit NGT Transceiver, coaxial cable (30 m) and installation/operation handbook

ALSO IN THIS SECTION

08-04835-013	194
15-00449	196

CABLES AND INTERFACES

RG213 Antenna Feed Kit - 100 m

CODAN ORDERING REFERENCE
15-00449

2007 PACKED WEIGHT
10.0 kg

Shackle



Source product image

KEY DETAILS

LENGTH / HEIGHT
100 m

CABLE TYPE
RG213

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-04835-015	195
15-00444	197

CABLES AND INTERFACES

RG213 Antenna Feed Kit - 30 m

CODAN ORDERING REFERENCE
15-00444

2007 PACKED WEIGHT
4.0 kg

Shackle



Source product image

KEY DETAILS

LENGTH / HEIGHT
30 m

CABLE TYPE
RG213

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00449 196

15-00448 198

CABLES AND INTERFACES

RG213 Antenna Feed Kit - 50 m

CODAN ORDERING REFERENCE
15-00448

2007 PACKED WEIGHT
4.0 kg

Shackle



Source product image

KEY DETAILS

LENGTH / HEIGHT
50 m

CABLE TYPE
RG213

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00444	**197**
08-04971-010	**199**

CABLES AND INTERFACES

RG213 Coaxial Cable - 10 m

CODAN ORDERING REFERENCE
08-04971-010

2007 PACKED WEIGHT
2.0 kg

Cable, Coaxial Assembly (RG213) Fitted with UHF Type Weatherproof Connectors, 10 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
10 m

CABLE TYPE
RG213

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00448	**198**
08-04971-030	**200**

CABLES AND INTERFACES

RG213 Coaxial Cable - 30 m

CODAN ORDERING REFERENCE
08-04971-030

2007 PACKED WEIGHT
5.0 kg

Cable, Coaxial Assembly (RG213) Fitted with UHF Type Weatherproof Connectors, 30 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
30 m

CABLE TYPE
RG213

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-04971-010	199
08-04971-040	201

CABLES AND INTERFACES

RG213 Coaxial Cable - 40 m

CODAN ORDERING REFERENCE
08-04971-040

2007 PACKED WEIGHT
7.0 kg

Cable, Coaxial Assembly (RG213) Fitted with UHF Type Weatherproof Connectors, 40 m.

CATALOGUE REFERENCE

08-04971-040

Product entry

KEY DETAILS

LENGTH / HEIGHT
40 m

CABLE TYPE
RG213

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-04971-030	200
08-01503-002	202

RG58 Coaxial Cable - 2 m

CODAN ORDERING REFERENCE
08-01503-002

2007 PACKED WEIGHT
0.5 kg

Cable, Coaxial Assembly (RG58) Fitted with UHF Type Weatherproof Connectors, 2 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
2 m

CABLE TYPE
RG58

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-04971-040	**201**
08-01503-030	**203**

RG58 Coaxial Cable - 30 m

CODAN ORDERING REFERENCE
08-01503-030

2007 PACKED WEIGHT
3.0 kg

Coaxial Cables

CATALOGUE REFERENCE

08-01503-030

Product entry

KEY DETAILS

LENGTH / HEIGHT
30 m

CABLE TYPE
RG58

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-01503-002	202
08-01503-008	204

RG58 Coaxial Cable - 8 m

CODAN ORDERING REFERENCE
08-01503-008

2007 PACKED WEIGHT
0.5 kg

Cable, Coaxial Assembly (RG58) Fitted with UHF Type Weatherproof Connectors, 8 m.

CATALOGUE REFERENCE

08-01503-008

Product entry

KEY DETAILS

LENGTH / HEIGHT
8 m

CABLE TYPE
RG58

INTERFACE
UHF

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-01503-030	203
30-38000-002	205

Shackle

CODAN ORDERING REFERENCE
30-38000-002

2007 PACKED WEIGHT
0.1 kg

Used to attach strain relief to the antenna.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-01503-008	**204**
08-01233	**206**

CABLES AND INTERFACES

Strain Relief

CODAN ORDERING REFERENCE
08-01233

2007 PACKED WEIGHT
0.5 kg

Reduces strain on connector when supporting RG213 cable assemblies.



Source product image

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

30-38000-002	**205**
08-05610-001	**207**

CABLES AND INTERFACES

Cable, CIB Interface, 0.5 m

CODAN ORDERING REFERENCE
08-05610-001

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-05610-001

Appendix reference

KEY DETAILS

LENGTH / HEIGHT
0.5 m

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-01233	206
08-05610-002	208

CABLES AND INTERFACES

Cable, CIB Interface, 2 m

CODAN ORDERING REFERENCE
08-05610-002

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-05610-002

Appendix reference

KEY DETAILS

LENGTH / HEIGHT
2 m

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05610-001	207
08-05610-030	209

CABLES AND INTERFACES

Cable, CIB Interface, 30 m

CODAN ORDERING REFERENCE
08-05610-030

2007 PACKED WEIGHT
3.0 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-05610-030

Appendix reference

KEY DETAILS

LENGTH / HEIGHT
30 m

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05610-002	208
08-05610-006	210

CABLES AND INTERFACES

Cable, CIB Interface, 6 m

CODAN ORDERING REFERENCE
08-05610-006

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-05610-006

Appendix reference

KEY DETAILS

LENGTH / HEIGHT
6 m

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05610-030	209
08-05086-006	211

CABLES AND INTERFACES

Cable, Data Interface, 6 m

CODAN ORDERING REFERENCE
08-05086-006

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-05086-006

Appendix reference

KEY DETAILS

LENGTH / HEIGHT
6 m

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05610-006	**210**
08-04284	**212**

CABLES AND INTERFACES

Cable, Phone Plug Adaptor Modular to 604 Plug

CODAN ORDERING REFERENCE
08-04284

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-04284

Appendix reference

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05086-006	211
08-05847-001	213

CABLES AND INTERFACES

Interface Adaptor

CODAN ORDERING REFERENCE	2007 PACKED WEIGHT
08-05847-001	**0.2 kg**

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-05847-001

Appendix reference

KEY DETAILS

PRODUCT LINE

Cables and interfaces

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-04284	212
08-05956-001	214

CABLES AND INTERFACES

Cable, High Power Amplifier Controller

CODAN ORDERING REFERENCE
08-05956-001

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-05956-001

Appendix reference

KEY DETAILS

PRODUCT LINE
Cables and interfaces

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05847-001	213
08-06022-001	215

Cable, NGT Control, 6 m

CODAN ORDERING REFERENCE
08-06022-001

2007 PACKED WEIGHT
1.0 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

08-06022-001

Appendix reference

KEY DETAILS

LENGTH / HEIGHT
6 m

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-05956-001	214
60-00063-501	216

CABLES AND INTERFACES

6-way Modular Wall Mounting Socket

CODAN ORDERING REFERENCE
60-00063-501

2007 PACKED WEIGHT
0.1 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

60-00063-501

Appendix reference

KEY DETAILS

INTERFACE
6-way

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

08-06022-001	**215**

PRODUCT LINE 11 OF 13

Mounting and Racks


Carrying equipment, cradles, mounting hardware and 19-inch rack components.



15-00216-002



15-00139-002



08-06130-001

SECTION RANGE

18 ENTRIES **PAGES 218-235**

15-00139-002	218	15-00216-003	221
15-00216-001	219	15-00216-004	222
15-00216-002	220	15-00218-001	223

MOUNTING AND RACKS

Cradle, 2110M with Screws

CODAN ORDERING REFERENCE
15-00139-002

2007 PACKED WEIGHT
2.5 kg

Heavy duty docking cradle used to secure the 2110M Transceiver in a vehicle.



Source product image

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00216-001	**219**

September 2007 source / PDF pp. 20, 47, 98

SECTION INDEX

MOUNTING AND RACKS

Backpack, External Frame (Black)

CODAN ORDERING REFERENCE
15-00216-001

SOURCE ENTRY
Product entry

Backpack, External Frame (Black).

CATALOGUE REFERENCE

15-00216-001

Product entry

KEY DETAILS

COLOUR
Black

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00139-002	218
15-00216-002	220

MOUNTING AND RACKS

Backpack, External Frame (Olive/Tan)

CODAN ORDERING REFERENCE
15-00216-002

SOURCE ENTRY
Product entry

Heavy duty backpack with adjustable, semi-flexible contoured external frame and ergonomic shoulder harness with ventilation panel for comfort.



Source product image

KEY DETAILS

COLOUR
Olive/Tan

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00216-001	**219**
15-00216-003	**221**

MOUNTING AND RACKS

Backpack, External Frame (US Desert Camouflage)

CODAN ORDERING REFERENCE
15-00216-003

SOURCE ENTRY
Product entry

Backpack, External Frame (US Desert Camouflage).

CATALOGUE REFERENCE

15-00216-003

Product entry

KEY DETAILS

COLOUR
Desert Camouflage

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00216-002	220
15-00216-004	222

MOUNTING AND RACKS

Backpack, External Frame (US Woodland Camouflage)

CODAN ORDERING REFERENCE
15-00216-004

SOURCE ENTRY
Product entry

Backpack, External Frame (US Woodland Camouflage).

CATALOGUE REFERENCE

15-00216-004

Product entry

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00216-003	221
15-00218-001	223

MOUNTING AND RACKS

Backpack, Softpack

CODAN ORDERING REFERENCE
15-00218-001

2007 PACKED WEIGHT
2.5 kg

Ultra lightweight, compact and comfortable backpack providing storage for transceiver, all accessories as well as personal items.



Source product image

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00216-004	**222**
15-00143	**224**

MOUNTING AND RACKS

Cradle, 2110 External DC for Cradle

CODAN ORDERING REFERENCE
15-00143

2007 PACKED WEIGHT
0.3 kg

Backpanel for the transceiver cradle that provides DC connection for the transceiver directly to the vehicle battery.



Source product image

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00218-001	223
15-00140-002	225

MOUNTING AND RACKS

Cradle, 2110M with Interface Adaptor

CODAN ORDERING REFERENCE
15-00140-002

2007 PACKED WEIGHT
3.5 kg

Transceiver cradle (part number 15-00139-002) plus an interface adaptor for external antenna, GPS, data interfaces, and DC battery charger.



Source product image

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00143	224
08-06130-001	226


MOUNTING AND RACKS

Basic High Power Rack Configuration

CODAN ORDERING REFERENCE
08-06130-001

2007 PACKED WEIGHT
90 kg

A pre-assembled 19-inch high-power rack configuration for NGT equipment, with equipment ordered separately.



Source product image

KEY DETAILS

RACK FORMAT
19-inch / 27RU

CASEWORK
Rear door, vented top and side panels

EQUIPMENT MOUNTING
Pre-fitted rails and trays

BASIC CONFIGURATION Radio, 3020 supply and amplifier mounting provision.

ACCESSORIES Blanking or vent panels and fitting hardware are described in the source.

SOURCE CLARIFICATION
The source excludes the radio, amplifier, supply and 1 m DC extension cable from the rack package.

ALSO IN THIS SECTION

15-00140-002 225

15-00172-001 227

MOUNTING AND RACKS

NGT Universal 19" Rack-mounting Tray 3RU with Blank Front Panel

CODAN ORDERING REFERENCE
15-00172-001

2007 PACKED WEIGHT
2.0 kg

Suitable for NGT RF units, 3030 NGT Remote Interface or 3012 HF Data Modems



Source product image

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06130-001	**226**
15-00172-002	**228**

MOUNTING AND RACKS

NGT Universal 19" Rack-mounting Tray 3RU, Front Panel with Speaker Grill and Mounting Holes

CODAN ORDERING REFERENCE
15-00172-002

2007 PACKED WEIGHT
2.5 kg

Suitable for NGT RF unit.



Source product image

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00172-001	**227**
08-05288-018	**229**

MOUNTING AND RACKS

Rack Cabinet, 18RU High, 19" Format, 500 mm Deep

CODAN ORDERING REFERENCE
08-05288-018

2007 PACKED WEIGHT
24.0 kg

Rack Mounts

CATALOGUE REFERENCE

08-05288-018

Product entry

KEY DETAILS

LENGTH / HEIGHT
500 mm

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00172-002	228
08-05288-009	230

MOUNTING AND RACKS

Rack Cabinet, 9RU High, 19" Format, 500 mm Deep

CODAN ORDERING REFERENCE
08-05288-009

2007 PACKED WEIGHT
15.0 kg

Rack Cabinet, 9RU High, 19" Format, 500 mm Deep.



Source product image

KEY DETAILS

LENGTH / HEIGHT
500 mm

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05288-018	229
30-35002-006	231

MOUNTING AND RACKS

19" 1RU Vent Panel

CODAN ORDERING REFERENCE
30-35002-006

2007 PACKED WEIGHT
1.0 kg

19" 1RU Vent Panel.



Source product image

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-05288-009	**230**
30-35002-019	**232**

MOUNTING AND RACKS

19" 4RU Vent Panel

CODAN ORDERING REFERENCE
30-35002-019

2007 PACKED WEIGHT
2.0 kg

19" 4RU Vent Panel.



Source product image

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

30-35002-006	**231**
30-35002-020	**233**

MOUNTING AND RACKS

Fixed Equipment Rail, 457 mm Long

CODAN ORDERING REFERENCE
30-35002-020

2007 PACKED WEIGHT
0.5 kg

Fixed Equipment Rail, 457 mm Long.



Source product image

KEY DETAILS

LENGTH / HEIGHT
457 mm

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

30-35002-019	232
15-00173	234

MOUNTING AND RACKS

Set of 1RU + 2RU Blank Front Panels

CODAN ORDERING REFERENCE
15-00173

2007 PACKED WEIGHT
0.6 kg

Suitable for covering gaps or holes in rack facia.



Source product image

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

30-35002-020	**233**
15-00129	**235**

MOUNTING AND RACKS

NGT Handset Cradle Kit

CODAN ORDERING REFERENCE
15-00129

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-00129

Appendix reference

KEY DETAILS

PRODUCT LINE
Mounting and racks

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-00173	**234**

PRODUCT LINE 12 OF 13

Earthing and Protection

Counterpoise equipment, earth conductors, fuses and lightning protection.



15-00446



15-00464



15-00711

SECTION RANGE

12 ENTRIES

PAGES 237-248

08-04515-001	237	15-00704	240
15-00711	238	05-06374	241
15-00712	239	15-00462	242

PROTECTION AND EARTHING

Earth Wire, 0.5 m

CODAN ORDERING REFERENCE
08-04515-001

2007 PACKED WEIGHT
0.5 kg

Earth Wire, 0.5 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
0.5 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00711	**238**

September 2007 source / PDF pp. 20, 27, 53, 54, 70 ...

SECTION INDEX

PROTECTION AND EARTHING

Fuse Holder with 32 A Fuse

CODAN ORDERING REFERENCE
15-00711

2007 PACKED WEIGHT
0.5 kg

Fuse Holder with 32 A Fuse.



Source product image

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-04515-001	**237**
15-00712	**239**

PROTECTION AND EARTHING

Fuse, 32 A

CODAN ORDERING REFERENCE
15-00712

2007 PACKED WEIGHT
0.5 kg

Fuse, 32 A.



Source product image

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00711	**238**
15-00704	**240**

September 2007 source / PDF pp. 20, 27, 54, 100

SECTION INDEX

PROTECTION AND EARTHING

Vehicle Interference Suppression Kit

CODAN ORDERING REFERENCE
15-00704

2007 PACKED WEIGHT
1.0 kg

Comprises of interference filters, copper braid, earth strap and fitting instructions.



Source product image

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00712	239
05-06374	241

PROTECTION AND EARTHING

Earth Braid, 1.5 m

CODAN ORDERING REFERENCE
05-06374

2007 PACKED WEIGHT
0.5 kg

Earth Braid, 1.5 m.



Source product image

KEY DETAILS

LENGTH / HEIGHT
1.5 m

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00704	**240**
15-00462	**242**

September 2007 source / PDF pp. 21, 53, 65, 67, 90 ...

SECTION INDEX

Anchor peg

CODAN ORDERING REFERENCE
15-00462

2007 PACKED WEIGHT
0.4 kg

Used in antenna kits to anchor the antenna wires.



Source product image

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

05-06374	**241**
15-00446	**243**

Counterpoise 4-wire kit

CODAN ORDERING REFERENCE
15-00446

2007 PACKED WEIGHT
0.5 kg

Lightweight counterpoise and earthing kit.



Source product image

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00462	**242**
08-06259-001	**244**

PROTECTION AND EARTHING

Earth Wire with Clip

CODAN ORDERING REFERENCE
08-06259-001

2007 PACKED WEIGHT
0.3 kg

Earthing wire 1 m (3') with spring clip.



Source product image

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00446	**243**
15-00158	**245**

PROTECTION AND EARTHING

Earth Mat for Base Whip Antenna, Ground Installations

CODAN ORDERING REFERENCE
15-00158

2007 PACKED WEIGHT
3.0 kg

Earth Mat for Base Whip Antenna, Ground Installations.

CATALOGUE REFERENCE

15-00158

Product entry

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

08-06259-001	244
30-37601-002	246

PROTECTION AND EARTHING

Copper Earth Strip (per metre)

CODAN ORDERING REFERENCE
30-37601-002

2007 PACKED WEIGHT
0.5 kg

50 mm x 0.46 mm (26 gauge)



Source product image

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00158	245
15-00163	247

Earth Stake

CODAN ORDERING REFERENCE
15-00163

2007 PACKED WEIGHT
2.0 kg

1.8 m long x 13 mm with clamp for earth wire/strip.



Source product image

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

30-37601-002	**246**
15-00464	**248**

Lightning Arrestor

CODAN ORDERING REFERENCE
15-00464

2007 PACKED WEIGHT
0.5 kg

Self-resetting spark gap arrestor.



Source product image

KEY DETAILS

PRODUCT LINE
Protection and earthing

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-00163	**247**

PRODUCT LINE 13 OF 13

Manuals and Guides

Printed and electronic documentation references, including specified language versions.



15-04153-EN



15-04131-EN



15-04142-FR

SECTION RANGE

14 ENTRIES **PAGES 250-263**

15-04153-EN	250	15-04148-EN	253
15-04147-EN	251	15-04151-EN	254
06-02489-EN	252	15-04133-EN	255

DOCUMENTATION

2110M SSB Transceiver Getting Started Guide, includes Reference Manual on CDROM - English

CODAN ORDERING REFERENCE
15-04153-EN

2007 PACKED WEIGHT
0.5 kg

Printed Getting Started Guide for the 2110M Transceiver.



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04147-EN	251

September 2007 source / PDF pp. 21, 101

SECTION INDEX

DOCUMENTATION

User Guide, HF Data Modem 3112 (English)

CODAN ORDERING REFERENCE
15-04147-EN

2007 PACKED WEIGHT
0.48 kg

Printed User Guide for the 3112 High Speed HF Data Modem.



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04153-EN	250
06-02489-EN	252

DOCUMENTATION

Quick Reference Card, Crosspatch 3031 (English)

CODAN ORDERING REFERENCE
06-02489-EN

2007 PACKED WEIGHT
0.32 kg

Quick Reference Card, Crosspatch 3031 (English).



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04147-EN	251
15-04148-EN	253

DOCUMENTATION

User Guide, Crosspatch 3031 (English)

CODAN ORDERING REFERENCE
15-04148-EN

2007 PACKED WEIGHT
0.5 kg

Printed User Guide for the 3031 Crosspatch.



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

06-02489-EN	252
15-04151-EN	254

DOCUMENTATION

NGT MR Transceiver Getting Started Guide, includes Reference Manual on CD - English

CODAN ORDERING REFERENCE
15-04151-EN

2007 PACKED WEIGHT
0.5 kg

Printed Getting Started Guide for the NGT MR Transceiver.



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04148-EN	253
15-04133-EN	255

DOCUMENTATION

Reference Manual, NGT Telephone Station (English)

CODAN ORDERING REFERENCE
15-04133-EN

2007 PACKED WEIGHT
0.5 kg

Printed Reference Manual for the NGT Telephone Station.



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04151-EN	254
15-04142-EN	256

DOCUMENTATION

Installation Handbook, Automatic Tuning Whip Antenna 9350 – English

CODAN ORDERING REFERENCE
15-04142-EN

SOURCE ENTRY
Product entry

Installation Handbook, Automatic Tuning Whip Antenna 9350 - English.



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04133-EN	**255**
15-04142-FR	**257**

DOCUMENTATION

Installation Handbook, Automatic Tuning Whip Antenna 9350 – French

CODAN ORDERING REFERENCE
15-04142-FR

SOURCE ENTRY
Product entry

Installation Handbook, Automatic Tuning Whip Antenna 9350 - French.



Source product image

KEY DETAILS

LANGUAGE
French

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04142-EN	256
15-04142-ES	258

DOCUMENTATION

Installation Handbook, Automatic Tuning Whip Antenna 9350 – Spanish

CODAN ORDERING REFERENCE
15-04142-ES

SOURCE ENTRY
Product entry

Installation Handbook, Automatic Tuning Whip Antenna 9350 - Spanish.



Source product image

KEY DETAILS

LANGUAGE
Spanish

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04142-FR 257	**15-04131-EN** 259

DOCUMENTATION

Reference Manual, High Power Amplifiers 3061/3062 - English

CODAN ORDERING REFERENCE
15-04131-EN

SOURCE ENTRY
Product entry

Reference Manual, High Power Amplifiers 3061/3062 - English.



Source product image

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04142-ES	258
15-04131-ES	260

DOCUMENTATION

Reference Manual, High Power Amplifiers 3061/3062 - Spanish

CODAN ORDERING REFERENCE
15-04131-ES

SOURCE ENTRY
Product entry

Reference Manual, High Power Amplifiers 3061/3062 - Spanish.



Source product image

KEY DETAILS

LANGUAGE
Spanish

ORDERING INFORMATION

Quote the ordering reference shown above when enquiring about this product or configuration.

ALSO IN THIS SECTION

15-04131-EN	259
15-04033-EN	261

DOCUMENTATION

Installation and Operation Handbook, Automatic Antenna Tuner Type 9103 (English)

CODAN ORDERING REFERENCE
15-04033-EN

2007 PACKED WEIGHT
0.5 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-04033-EN

Appendix reference

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-04131-ES	260
15-04147-CD	262

DOCUMENTATION

User Guide, HF Data Modem 3112 on CDROM (English)

CODAN ORDERING REFERENCE
15-04147-CD

2007 PACKED WEIGHT
0.25 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-04147-CD

Appendix reference

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-04033-EN	261
15-04148-CD	263

DOCUMENTATION

User Guide, Crosspatch 3031 on CDROM (English)

CODAN ORDERING REFERENCE
15-04148-CD

2007 PACKED WEIGHT
0.25 kg

An ordering reference recorded in the source catalogue's shipping appendix.

CATALOGUE REFERENCE

15-04148-CD

Appendix reference

KEY DETAILS

LANGUAGE
English

ORDERING INFORMATION

The source appendix lists this item's name, ordering code and packed weight.

ALSO IN THIS SECTION

15-04147-CD	**262**